
Master Agreement - E194 - 210 - 1 With Change # 01, 02, 03, 04, & 05

| | |
|---|----------------------------|
| Document Id: 210 | Document Name: BODY ARMOR |
| Print Date: 8/1/2005 | Created On: 8/1/2005 |
| Procurement Folder: 415 | Procurement Type: IFB |
| Effective Begin Date: 8/15/2005 | Expiration Date: 8/31/2007 |
| Document Description: BODY ARMOR STATE AGENCIES & PUBLIC BODIES | TERM CONTRACT |

Contact Information

| | |
|------------------------------------|-----------------------|
| Contract Officer: Fran Finch | Phone: (804) 786-0079 |
| Email: Fran.Finch@dgs.virginia.gov | Fax: (804) 786-5413 |

Thresholds

| | |
|------------------------------|-------------------------|
| Minimum Order Amount: \$0.00 | Minimum Order Value: No |
| Maximum Order Amount: \$0.00 | Maximum Order Value: No |
| Not to Exceed Amount: \$0.00 | Not to Exceed: No |

Authorized Departments

Department: STATE AGENCIES & PUBLIC BODIES

Vendors

Lines 1 through 20
Legal Name: Protective Apparel Corp of America
Location Legal Name: P A C A Body Armor
179 Mine Lane, Jacksonboro, TN 37757
Customer Service : 800-722-7667

Local Contact Name: Bill Burns
Contact Email: bburns@pointblankarmor.com
Terms: Net 30
FAX: (423) 562-1581

FIN # 222059051

DUNS # 076690122

Lines 21 & 22
Legal Name: Town Gun Shop
Location Legal Name: Town Police Supply of Richmond
3541 Courthouse Road, Richmond, VA 23236

Local Contact Name: Cindy Mcleod or Al Funai
Contact Email: TPSP@FIRSTSAGA.COM
Terms: Net 30
Certification: Certified as Small Business by Department of Minority Business Enterprise
FAX: (804) 745-6863

Customer Service : 800-443-8871 or (804) 745-6433

DUNS # 961182151

FIN # 541273247

Renewal Periods

Renewal Period: 1

Renewal Period Length: 1

Effective Date: 9/1/2007

Renewal Period Unit: Years

Expiration Date: 8/31/2008

Renewal Period: 2

Renewal Period Length: 1

Effective Date: 9/1/2008

Renewal Period Unit: Years

Expiration Date: 8/31/2009

Renewal Period: 3

Renewal Period Length: 1

Effective Date: 9/1/2009

Renewal Period Unit: Years

Expiration Date: 8/31/2010

Notification Days Prior to Expiration: 90

Terms & Conditions

Section 1

EVA BUS TO GOV CONTRACT

BUSINESS-TO-GOVERNMENT CONTRACTS: The eVA Internet electronic procurement solution, web site portal www.eva.state.va.us, streamlines and automates government purchasing activities in the Commonwealth. The portal is the gateway for vendors to conduct business with state agencies and public bodies. Failure to comply with the requirements in part 2 below will be just cause for the Commonwealth to reject your bid/offer or terminate this contract for default. Vendors desiring to provide goods and/or services to the Commonwealth shall participate in the eVA Internet e procurement solution and agree to comply with the following:

Prior to or within 5 calendar days after receipt of notice of intent to award the contractor shall submit a fully executed American Management Systems, Inc., (AMS) Trading Partner Agreement, a copy of which can be accessed and downloaded from www.eva.state.va.us. AMS is the Commonwealth's service provider to implement and host the eVA e-procurement solution. Provide an electronic catalog (price list) for items awarded under a term contract. The format of this electronic catalog shall conform to the eVA Catalog Interchange Format (CIF) Specification that can be accessed and downloaded from www.eva.state.va.us.

Section 2

CONTRACT TERM

The initial term of this contract shall be for approximately two years beginning August 15, 2005 through August 31, 2007.

Section 3

AUDIT

The contractor shall retain all books, records, and other documents relative to this contract for five (5) years after final payment, or until audited by the Commonwealth of Virginia, whichever is sooner. The agency, its authorized agents, and/or state auditors shall have full access to and the right to examine any of said materials during said period.

Section 4

AVAILABILITY OF FUNDS

It is understood and agreed between the parties herein that the agency shall be bound hereunder only to

the extent of the funds available or which may hereafter become available for the purpose of this agreement.

**Section 5
CERTIFIED TEST REPORT**

Each bidder should provide a copy of a current (within six (6) months of the bid opening date) certified test report, for the products offered,(see Specification Section) to the Division of Purchases and Supply prior to or with their sealed bid. However, the Commonwealth reserves the right to perform any tests or inspections when and as deemed necessary to verify the certified test report. Each ballistic material lot shall be tested per N.I.J. standards 0101.04 and the Quality Assurance Provisions of the specifications. Test data shall be provided to the ordering agency upon request.

**Section 6
CONTRACT CANCELLATION**

The purchasing agency reserves the right to cancel and terminate any resulting contract, in part or in whole, without penalty, upon 60 days written notice to the Contractor. In the event the initial contract period is for more than 12 months, the resulting contract may be terminated by either party, without penalty, after the initial 12 months of the contract period upon 60 days written notice to the other party. Any contract cancellation notice shall not relieve the Contractor of the obligation to deliver and/or perform on all outstanding orders issued prior to the effective date of cancellation.

**Section 7
CUSTOM FIT**

The Contractor(s) or their authorized agents shall measure & custom fit soft body armor to each user. After receipt of purchase order, the Contractor shall make arrangements and coordinate such custom fitting at the using agency's local offices or at a mutually agreeable location within 10 days of notification. Female cut shall be available if and when required. Within 30 days of receipt of the body armor the ordering agency shall accept or reject the body armor based on construction & fit. Contractor shall either alter or replace, with the approval of the ordering agency, rejected armor within 14 days at no additional cost to the agency. Dealers or subcontractor who measure and custom fit pieces may not charge the ordering agency for this service. Contractor prices for the items will cover this service. Submit sizing chart with the IFB. Sizes of body armor shall be available in extra small (34-36), small (38-40), medium (42/44), large (46/48) and extra-large (50/52) XX large (54/56), XXXlarge (58/60) and XXXXlarge (62/64) in short, regular, and long rises for both male and female.

**Section 8
DELIVERY**

Delivery of all requested contract items shall be made within 30 calendar days after receipt of purchase order. Contractor shall carry an adequate stock to insure such delivery service for the duration of the contract.

**Section 9
MAXIMUM ORDERS**

The Commonwealth reserves the right to issue separate solicitations for orders of 100 or more body Armor Vests delivered to the same Agency location.

**Section 10
ORDER PLACEMENT/METHOD**

To the maximum extent possible, purchase orders shall be submitted to the contractor via the Commonwealth of Virginia's electronic procurement system, also know as eVA, The orders will be

governed by this agreement and the terms and conditions contained in the separate agreement for participation in eVA executed by the contractor. The Commonwealth requires Contractor(s) to accept orders via the eVA ordering system.

Section 11

PAYMENT TERMS/OPTIONS

Procurement Cards: Contractor should be able to accept the Commonwealth's card for invoices under \$5,000 per transaction. The Commonwealth does not mandate the use of the charge card for invoices under \$5,000. Using ETF via eVA will generally get you a lower transaction cost and save you money compared to payment via the purchasing card. Standard payment terms are net 30 days from products delivery or properly executed invoice receipt, whichever is later.

Section 12

PRICE CHANGES

PRICE ESCALATION/DE-ESCALATION: Price adjustments may be permitted only for changes in the Contractor's cost of materials. Producers Price Indices or other appropriate indices will be used as a guide to determine price increases or decreases. No price increases will be authorized for 365 calendar days after the effective date of the contract. Price escalation may be permitted only at the end of this period and each 365 days thereafter and only where verified to the satisfaction of the purchasing office. However, "across the board" price decreases are subject to implementation at any time and shall be immediately conveyed to the Commonwealth.

Contractor shall give not less than 30 days advance notice of any price increase to the purchasing office. Any approved price changes will be effective only at the beginning of the calendar month following the end of the full 30 day notification period. The Contractor shall document the amount and proposed effective date of any general change in the price of materials. Documentation shall be supplied with the Contractor's request for increase which will: (1) verify that the requested price increase is general in scope and not applicable just to the Commonwealth of Virginia; and (2) verify the amount or percentage of increase which is being passed on to the Contractor by the Contractor's suppliers. The purchasing office will notify the using agencies and Contractor in writing of the effective date of any increase which it approves. However, the Contractor shall fill all purchase orders received prior to the effective date of the price adjustment at the old contract prices. The Contractor is further advised that decreases which affect the cost of materials are required to be communicated immediately to the purchasing office.

Section 13

PRODUCT LIABILITY INSURANCE

The successful bidders shall maintain a comprehensive General Liability Insurance including Products Liability with a minimum aggregate liability limit of \$20,000,000.00. Coverage shall be for a least \$500,000.00 for each occurrence in the underlying policy and the \$15,000,000.00 may be carried in an excess liability umbrella contract. A Certificate of Insurance shall be issued to the Commonwealth of Virginia to cover its user Agencies and Other Public Bodies within ten (10) calendar days after Notice of Contract Award. All insurance coverage shall be provided by insurance companies authorized to sell insurance in Virginia by the State Corporation Commission. Each bidder shall submit with their bid a Product Liability Insurance Affidavit defining the conditions and limits of Liability.

Section 14

PURCHASE VOLUME

The Contractor shall furnish the Division of Purchases and Supply reports of the total dollar volume of purchases made under this contract and the total number of each contract item ordered under this contract. The first report shall include purchases made in the first six months of the contract. For contracts of one year, the Contractor shall furnish a second report listing the purchases made in the first nine

months of the contract. In addition, for contracts exceeding one year, the Contractor shall furnish reports at the end of each consecutive twelve month period and 90 calendar days prior to the expiration date of the contract.

All reports shall be delivered to the Division of Purchases and Supply no later than 14 calendar days after the request has been made by the Division. Reports shall be sent to the attention of the appropriate contract officer. Failure to submit this information in the required time may result in disqualification from bidding on the next solicitation for this contract. Each report shall be in two segments: (1) One to report the total dollar volume of purchases and the total number of each item ordered by State agencies, institutions and departments; (2) One to report the total dollar volume of purchases and number of each item ordered by all other Commonwealth public bodies (e.g. cities, towns, counties, schools and authorities, etc.), if authorized users of this contract.

Section 15

SPECIFICATION A - PART 1

SAN DIEGO STYLE (full wrap vest no gaps on sides) **SOFT BODY ARMOR** (Spec. No. 680-08-040, 10/18/89, Rev. 1/14/04) **SCOPE:** This specification covers the furnishing of concealable soft body armor of the San Diego Style for use by Law Enforcement Agencies. The soft body armor alone shall provide at least a Type II threat level protection. Body armor shall comply with this specification, shall have been tested by a laboratory recognized by the National Institute of Standards and Technology (NIST) for compliance with National Institute of Justice (NIJ) Standard 0101-04 for both wet and dry conditions, and shall be type listed on NLECTC Body Armor Database, and Personal Body Armor Consumer Products List.

SPECIFICATION A – PART 2

SPECIFICATIONS AND STANDARDS: The latest revision of specifications and standards referenced in this document in effect on the opening of the Invitation for Bid form a part of this specification where referenced.

SPECIFICATION A – PART 3

Design - Soft body armor shall be designed with removable ballistic panels to fully protect the upper torso, torso sides and clavicle regions, including the groin region when required. Back ballistic panels shall provide protection to the base of the neck. Front ballistic panels shall be contoured so, as not to be visible at the open throat when the collar is unbuttoned and without a tie, while still providing maximum protection. Ballistic panels shall be flexible and lightweight. The body armor shall be designed for easy donning and shall provide for efficient arm movement while maximizing side and clavicle region protection. The side closures shall extend approximately 2 inches to the backside of the user's profile centerline. Lining on front and back panels to be of a material which will wick away moisture. The body armor carrier shall also be designed with 5" x 8" front pocket for optional trauma plate and with front and rear tuck tails, except for the Executive Dress Vest.

SPECIFICATION A – PART 4

Carrier shall be composed of a tightly woven polyester/cotton or equivalent material. Shall be removable and washable. Fasteners shall be Velcro type or equivalent with approximately 2 inch wide hook and loop construction. Fasteners shall be designed to provide fine adjustment of the body armor vest for a secure fit with approximately 2 inches of adjustment.

SPECIFICATION A – PART 5

Ballistic Panels shall be composed of either single or combination of Spectratm fabric, Spectra Shieldtm, Goldflex®, Goldshield®, or Aramid fabric. Front and back panels shall be of same materials. A label on each panel which states, level of protection, complies with NIJ Standard(s) and number, manufacturer's

model number, and if used a separate catalog number.

SPECIFICATION A – PART 6

Trauma Plate shall be either hard board Aramid or Spectratm Shield and measure no less than 5 inches by 8 inches. Steel plates shall not be used. When used with ballistic panels, trauma plate shall withstand Type II multiple hits.

SPECIFICATION A – PART 7

Groin Protection (when required) shall be easily removable and shall provide the same threat level protection as that of the body armor.

SPECIFICATION A – PART 8

Color: Soft body armor shall be available in white and navy blue, as requested by the ordering Agency or Public Body.

SPECIFICATION A – PART 9

Sizes of body armor shall be available in extra small (34-36), small (38-40), medium (42/44), large (46/48) and extra-large (50/52) XX large (54/56), XXXlarge (58/60) and xxxlarge (62/64) in short, regular, and long rises for both male and female.

SPECIFICATION A – PART 10

Weights of ballistic body armor shall be categorized in accordance with the finished areal density (lbs./sq. ft.) and thickness (inch) of the ballistic panels as follows: Armor, Light Weight, Type II, <0.75 lbs./sq.ft., <0.19 inch thick; Armor, Heavy Weight, Type II, >0.75 to < 1.1 lbs./sq.ft., <0.25 inch thick.

SPECIFICATION A – PART 11

QUALITY ASSURANCE PROVISIONS/Testing: The Contractor shall be responsible for the compliance of all offered products with the requirements specified herein. Except as otherwise indicated, the Contractor may utilize its own qualified quality control facilities or a commercial laboratory recognized by the National Institute of Standards and Technology. All testing to be in accordance with NIJ STD-D101.04, Section 5.17-5.22.

SPECIFICATION A – PART 12

QUALITY ASSURANCE PROVISIONS/ Factory Quality Control: The manufacturer shall maintain laboratory facilities and personnel for rigid quality control. Materials and performance testing shall be a part of the manufacturing operations. Each ballistic material lot shall be tested for compliance with NIJ Standards. Such results and records of tests shall be open to inspection by the Purchasing Office and shall be provided to the User with each shipment.

SPECIFICATION A – PART 13

QUALITY ASSURANCE PROVISIONS/Sampling and Inspection for Acceptance: Sampling and inspection shall be performed in accordance with the provisions set forth in MIL-STD-105E or by any other random sampling method acceptable to the Purchasing Office. For purposes of sampling, an inspection lot for acceptance inspection and testing shall consist of all materials of the same type and grade submitted for inspection at the same time.

SPECIFICATION A – PART 14

PREPARATION FOR DELIVERY: Each body armor shall be individually wrapped and provided with a certificate of inspection, cleaning instructions and a five year certificate of warranty for the ballistic panels

Section 16

SPECIFICATION B – PART 1

PRISON TACTICAL STAB VEST (SV2 VEST). SCOPE:

SPRCIFICATION B – PART 2

APPLICABLE PUBLICATIONS: Referenced portions of the following publications, of the issue in effect on the issuance date of the Invitation For Bid, shall be a part of this specification: MIL-STD-105 which may be viewed in the office of the Purchase Officer during normal working hours or may be obtained for a fee from the following: Superintendent, General Service Administration, U.S. Government Printing Office, Federal Supply Service Bureau, Washington, DC 20402, Telephone (202) 708-7140 Specification Section, 490 East L' Enfant Plaza S.W., Suite 8100, Washington, DC 20407, Telephone (202) 755-0325/0326

SPECIFICATION B – PART 3

Design –Stab Vest shall be designed to fully protect the torso, including front, back, sides, base of neck, clavicle regions and abdomen from knives, pointed objects and like instruments. The Stab Vest shall provide maximum protection from immediately below the throat to the groin area and from the nape of the neck to the waist-line. Stab Vest shall be designed for flexibility, easy donning, efficient arm movement while maximizing side and clavicle region protection, worn over uniform shirt, and shoulder with closure. Stab Vest shall weight not more than 1.2 pounds per square foot. Vest designed to be closed on the left side, straps on right shoulder and side. Adjustable side opening design, “Gridlock” Webbing pouch attachment system, front and rear hard armor plate pockets, 5 mission specific equipment pouches (radio covered pouch # 17, grenade flash bang pouch #10, ball grenade pouch #22, utility pouch #14, Less than lethal #11), non-skid weapon shouldering, custom removable Identification patches with “CORRECTIONS” or as identified on purchase order, internal cummerbund, dual low profile communications wire channels, heavy duty officer rescue strap, removable collar attached with velcro.

SPECIFICATION B – PART 4

Outer shell shall be composed of 400-denier or equivalent heavy-duty nylon polyurethane-coated material and shall be easily cleanable.

SPECIFICATION B – PART 5

Fasteners shall be concealable, quick release Velcro type and quick release buckle on adjustable straps designed to provide fine adjustment for a secure fit. All fasteners shall be Velcro hook and loop type construction or quick release adjustable buckles.

SPECIFICATION B – PART 6

Abdomen Protector shall made for the same threat level as the vest and shall be contour designed so as not to inhibit leg movement while providing maximum protection to the abdomen. Abdomen protector shall extend approximately 5 inches below the waist line for Size Medium (42/44) and shall be proportional to the end user.

SPECIFICATION B – PART 7

Color – Stab Vests shall be available in tan, black and navy blue colors. Color will be selected by the ordering Agency.

SPECIFICATION B – PART 8

Performance – Stab Vest shall defeat severe thrust penetrations from knives and pointed instruments as verified by stab test. The Correctional Vest shall defeat severe thrust penetration from knives and pointed

instruments certified to NIJ std. 0115.0 showing no penetration. The vest shall also defeat all Type IIA ballistic threats as verified by a report from a NIST recognized laboratory certifying ballistic protection in accordance with NIJ std. 0101.04.

SPECIFICATION B – PART 9

Sizes - Stab Vests shall be provided in Extra Small (34/36), Small (38/40), Medium (42/44), Large (46/48), Extra-Large (50/52) and Extra-Extra-Large (54/56), Extra-Extra-Extra-Large (56/60), Extra-Extra- Extra-Extra-Large (62/64) sizes in short, regular and long body lengths for both male and female Officers.

SPECIFICATION B – PART 10

Options: Biceps Protection: Shall be made the same threat level as the vest. The bicep protection shall be removable and attached by Velcro hook and loop type material. Blade Plates, when provided, shall be composed of cobalt alloy, shall measure 10 inches by 12 inches trapezoid and shall be provided for both front and back. Blunt Trauma Plates, when provided, shall be composed of either flexible or steel insert and shall measure at minimum 6 inches by 8 inches.

SPECIFICATION B – PART 11

QUALITY ASSURANCE PROVISIONS/Testing: The Contractor shall be responsible for the compliance of all offered products with the requirements specified herein. Except as otherwise indicated, the Contractor may utilize its own qualified quality control facilities or a commercial laboratory recognized by the National Institute of Standards and Technology. The Purchasing Office reserves the right to perform any testing as deemed necessary to assure that products and services conform to prescribe requirements.

SPECIFICATION B – PART 12

QUALITY ASSURANCE PROVISIONS/Factory Quality Control: The manufacturer shall maintain laboratory facilities and personnel for rigid quality control. Materials and performance testing shall be a part of the manufacturing operations. Such results and records of tests shall be open to inspection by the Purchasing Office

SPECIFICATION B – PART 13

Sampling and Inspection for Acceptance: Sampling and inspection shall be performed in accordance with the provisions set forth in MIL-STD-105 or by any other random sampling method acceptable to the Purchasing Office. For purposes of sampling, an inspection lot for acceptance inspection and testing shall consist of all materials of the same type and grade submitted for inspection at the same time

SPECIFICATION B – PART 14

PREPARATION FOR DELIVERY: Each Stab Vest shall be individually wrapped and provided with a certificate of inspection, cleaning instructions and a five year certificate of warranty for panels.

Section 17

SPECIFICATIONS D PART 1

TACTICAL TEAM VEST (VA Spec. No. 680-08-020 10/6/88, Rev. 7/14/99). SCOPE: This specification covers the furnishing of lightweight, externally worn tactical team vest for use by Law Enforcement Agencies. The tactical vest alone shall provide at least a Type IIIA threat level protection. Tactical team vest shall have been tested by a laboratory recognized by the National Institute of Standards and Technology (NIST) for compliance with NIJ Standard 0101.04 for both wet and dry conditions.

SPECIFICATION D – PART 2

APPLICABLE PUBLICATIONS: Referenced portions of the following publications, of the issue in effect on

the issuance date of the Invitation For Bid (IFB), shall be a part of this specification: NIJ Standard 0101.04, MIL-STD-105. The aforementioned specifications may be viewed in the office of the Purchase Officer during normal working hours or may be obtained for a fee from the following: Superintendent, U.S. Government Printing Office, Washington, DC 20402, Telephone (202) 708-7140 or General Service Administration, Federal Supply Service Bureau, Specification Section, 490 East L'Enfant Plaza S.W., Suite 8100, Washington, DC 20407, Telephone (202) 755-0325/0326

SPECIFICATION D – PART 3

Design: The tactical vest shall be designed with permanent ballistic panels to fully protect the upper torso including the torso sides, base and side of neck, clavicle and groin regions. The tactical vest shall be designed for easy donning, shall provide efficient arm movement while maximizing side and clavicle region protection, and shall be designed for the front panel closure to overlap the back panel. The tactical vest shall also be designed with a concealable downed man rescue strap, with front and back pockets for ballistic plates, and with 2 additional expandable front pockets measuring approximately 4 inch x 6 inch with velcro closure flaps. The weight of a medium size tactical team vest shall be not more than 10.0 pounds, excluding ballistic plates.

SPECIFICATION D – PART 4

Ballistic Panels shall be composed of either single or combination of Spectratm fabric, Spectra Shieldtm or Aramid fabric. When Aramid fabric is provided, a water repellent treatment equivalent to Dupont's Zepel-D shall be applied

SPECIFICATION D – PART 5

Ballistic plates shall measure approximately 10 inches by 12 inches and shall be provided for both front and back. Ballistic plates for Type III threat level protection shall be either ceramic or Spectra Shieldtm; whereas, Type IV threat level shall be ceramic. Ballistic plates shall provide the appropriate level of protection for multiple hits not closer than 2 inches apart.

SPECIFICATION D – PART 6

Outer Shell shall be composed of a tightly woven heavy duty nylon with a polyurethane coating or equivalent waterproofing material for easy cleaning.

SPECIFICATION D – PART 7

Neck and Clavicle Protection shall provide the same threat level protection as the vest and shall provide continuous protection between the vest torso, clavicle and neck regions.

SPECIFICATION D – PART 8

Fasteners shall be Velcro type or equivalent with approximately 6 inch wide hook and loop construction. Fasteners shall be designed to provide fine adjustment of the tactical vest for a secure fit.

SPECIFICATION D – PART 9

Webbing shall be provided around the waist, across the chest, and across the back at the neck line. Webbing shall be durable nylon and approx. 1-1/2 inch wide, rigidly secured on 3 inch increments.

SPECIFICATION D – PART 10

Groin protector shall be taper design measuring approximately 13 inches by 13 inches, shall provide the same threat level protection as that of the tactical vest and shall be concealable by folding it under the vest.

SPECIFICATION D – PART 11

Color: Tactical team vest shall be available in navy blue and woodland pattern camouflage similar to Point Blank pattern or equivalent, as requested by the ordering Agency or Public Body.

SPECIFICATION D – PART 12

Sizes of tactical vest shall be available in small (38/40), medium (42/44), large (46/48) and extra-large (50/52), Extra-Extra-Large (54/56), Extra-Extra-Extra-Large (56/60), and Extra-Extra- Extra-Extra-Large (62/64) sizes in short, regular and long body lengths for both male and female Officers.

SPECIFICATION D – PART 13

QUALITY ASSURANCE PROVISIONS/Testing: The Contractor shall be responsible for the compliance of all offered products with the requirements specified herein. Except as otherwise indicated, the Contractor may utilize its own qualified quality control facilities or a commercial laboratory recognized by the National Institute of Standards and Technology. The Purchasing Office reserves the right to perform any testing as deemed necessary to assure that products and services conform to prescribed requirements.

SPECIFICATION D – PART 14

QUALITY ASSURANCE PROVISION/Factory Quality Control: The manufacturer shall maintain laboratory facilities and personnel for rigid quality control. Materials and performance testing shall be a part of the manufacturing operations. Each ballistic material lot shall be tested for compliance with NIJ Standards. Such results and records of tests shall be open to inspection by the Purchasing Office and shall be provided to the User with each shipment.

SPECIFICATION D – PART 15

QUALITAY ASSURANCE PROVISIONS/Sampling and Inspection for Acceptance: Sampling and inspection shall be performed in accordance with the provisions set forth in MIL-STD-105 or by any other random sampling method acceptable to the Purchasing Office. For purposes of sampling, an inspection lot for acceptance inspection and testing shall consist of all materials of the same type and grade submitted for inspection at the same time.

SPECIFICATION D – PART 16

PREPARATION FOR DELIVERY: Each tactical vest shall be individually wrapped and provided with a certificate of inspection, cleaning instructions and a five year certificate of warranty for the ballistic panels.

Section 18

GUARANTEE/WARRANTY

Any armor exhibiting defects during the warranty period shall be replaced without cost, including freight, by the contractor/manufacturer. Ballistic Panels: The manufacturer shall certify that all ballistic panels of an armor unit are warranted for at least five (5) years from date of delivery of accepted product. Garments or carriers shall be warranted by the manufacturer for at least twenty four (24) months from date of accepted delivery. Submit copy of guarantee/warranty with the IFB.

Commodity Information

Line: 1

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Extended Description: SPECIFICATION A- BODY ARMOR, SOFT, TYPE II, SAN DIEGO STYLE SIDE PROTECTION, LIGHT WEIGHT, WITH FINISHED AREAL DENSITIES OF LESS THAN 0.75 LBS/SQ. FT. AND THICKNESS OF LESS THAN 0.19 INCH

Unit Price: \$375.00/EACH

THICKNESS, IN ACCORDANCE WITH VA SPECS.
680-080-040, SIZES S, M, L, AND XL, WITH ONE
CARRIER.

Free On Board Name: FOB Destination-Freight
Prepaid

Product/Category: GROUP 1 LINE 1

Model Number: VWC-RTGS-2

Size: S-4XR

Color: WHITE,BLACK,NAVY,TAN,LT B

Line: 2

Description: Police Protection Equipment (Body
Armor And Riot Shields) And Supplies

Unit Price: \$17.50/EACH

Commodity Specs: TRAUMA PLATE FOR LINE 1

Free On Board Name: FOB Destination-Freight
Prepaid

Model Number: STP

Size: 5"X8"

Line: 3

Description: Police Protection Equipment (Body
Armor And Riot Shields) And Supplies

Unit Price: \$40.00/EACH

Extended Description: REPLACEMENT CARRIER
FOR LINE 1

Free On Board Name: FOB Destination-Freight
Prepaid

Part Number: VC STD TFT

Size: S-4XR

Color: WHITE,BLACK,NAVY,TAN,LT B

Line: 4

Commodity: 68008

Description: Police Protection Equipment (Body
Armor And Riot Shields) And Supplies

Unit Price: \$58.00/EACH

Commodity Specs:

Extended Description: SUPPLEMENTAL ITEM,
QUILTED LINER, WINTER CARRIER, FOR LINE 1

Free On Board Name: FOB Destination-Freight
Prepaid

Part Number: QUILTED LINER

Size: S-4XR

Color: BLACK,NAVY,GRAY.BROWN

Line: 5

Description: Police Protection Equipment (Body
Armor And Riot Shields) And Supplies

Unit Price: \$45.00/EACH

Extended Description: SUPPLEMENTAL ITEM,
COOLING INSERT NOT TO EXCEED 1/4"
THICKNESS, FOR LINE 1

Free On Board Name: FOB Destination-Freight
Prepaid

Model Number: ARMOR ICE

Size: S-4XR

Line: 6

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$75.00/EACH

Extended Description: SUPPLEMENTAL ITEM, MULTI-ASSIGNMENT CARRIER 3 POCKET & ID FLAP, FOR LINE 1

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: MAC

Size: S-4X

Color: BLACK,NAVY,OD GREEN,RED

Line: 7

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$375.00/EACH

Extended Description: SPECIFICATION A - BODY ARMOR, SOFT, TYPE II, SAN DIEGO STYLE SIDE PROTECTION, LIGHT WEIGHT, WITH FINISHED AREAL DENSITIES OF LESS THAN 0.75 LBS/SQ. FT. AND THICKNESS OF LESS THAN 0.19 INCH THICKNESS, IN ACCORDANCE WITH VA SPECS. 680-080-040, SIZES XXL, TO XXXXL WITH ONE CARRIER.

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: VWC-RTGS-2

Size: 2XR-4XR

Color: BLACK,NAVY,TAN,WHITE,LT B

Line: 8

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$17.50/EACH

Extended Description: TRAUMA PLATE FOR LINE 7

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: SOFT TRAUMA PLATE

Size: 5"X8"

Line: 9

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$40.00/EACH

Extended Description: REPLACEMENT CARRIER FOR LINE 7

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: VC STD TFT

Size: S-4XR

Color: BLACK,NAVY,TAN,WHITE,LT B

Line: 10

Description: Police Protection Equipment (Body
Armor And Riot Shields) And Supplies

Unit Price: \$58.00/EACH

Extended Description: SUPPLEMENTAL ITEM,
QUILTED LINER, WINTER CARRIER FOR LINE 7

Free On Board Name: FOB Destination-Freight
Prepaid

Model Number: QUILTED LINER

Size: S-4XR

Color: BLACK,NAVY,GRAY.BROWN

Line: 11

Description: Police Protection Equipment (Body
Armor And Riot Shields) And Supplies

Unit Price: \$45.00/EACH

Extended Description: SUPPLEMENTAL ITEM,
COOLING INSERT NOT TO EXCEED 1/4"
THICKNESS FOR LINE 7

Free On Board Name: FOB Destination-Freight
Prepaid

Model Number: ARMOR ICE

Size: S-4XR

Line: 12

Description: Police Protection Equipment (Body
Armor And Riot Shields) And Supplies

Unit Price: \$75.00/EACH

Extended Description: SUPPLEMENTAL ITEM,
MULTI-ASSIGNMENT CARRIER 3 POCKET & ID
FLAP FOR LINE 7

Free On Board Name: FOB Destination-Freight
Prepaid

Part Number: MAC

Size: S-4XR

Color: BLACK,NAVY,OD GREEN,RED

Line: 13

Description: Police Protection Equipment (Body
Armor And Riot Shields) And Supplies

Unit Price: \$675.00/EACH

Extended Description: SPECIFICATION D -
TACTICAL TEAM VEST, TYPE IIIA,
COMBINATION ARAMID AND SPECTRA
BALLISTIC PANELS, SIDE PROTECTION, PER
VIRGINIA SPEC NO. 680-080-020 WITHOUT
BALLISTIC PLATES, SIZES S, M, L AND XL

Free On Board Name: FOB Destination-Freight
Prepaid

Part Number: TAV-ES3A590

Size: S-XL

Color: BLACK,NAVY,OD GREEN

Line: 14

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$20.00/EACH

Extended Description: SUPPLEMENT ITEM, AGENCY NAME MONOGRAM WITH 2 INCH HEIGHT LETTERS FOR LINE 13

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: ID FLAPS

Color: BLACK,NAVY,OD GREEN

Line: 15

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$190.00/EACH

Extended Description: BALLISTIC PLATE, TYPE III THREAT LEVEL PROTECTION, SPECTRA SHIELD OR CERAMIC FOR LINE 13

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: TAP 433

Size: 8"X10" & 10"X12"

Line: 16

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$190.00/EACH

Extended Description: BALLISTIC PLATE, TYPE IV THREAT LEVEL PROTECTION, CERAMIC FOR LINE 13

Free On Board Name: FOB Destination-Freight Prepaid

Part Number: TAP434 Size: 8"X10" & 10"X12"

Line: 17

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$742.50/EACH

Extended Description: SPECIFICATION D - TACTICAL TEAM VEST, TYPE IIIA, COMBINATION ARAMID AND SPECTRA BALLISTIC PANELS, SIDE PROTECTION, PER VIRGINIA SPEC NO. 680-080-020 WITHOUT BALLISTIC PLATES, SIZES XXL TO XXXXL

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: TAV-ES3A590

Size: 2XR-4XR

Color: BLACK,NAVY,OD GREEN

Line: 18

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$20.00/EACH

Extended Description: SUPPLEMENT ITEM, AGENCY NAME MONOGRAM WITH 2 INCH HEIGHT LETTERS FOR LINE 17

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: ID FLAPS

Color: BLACK,NAVY,OD GREEN

Line: 19

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$190.00/EACH

Extended Description: BALLISTIC PLATE, TYPE III THREAT LEVEL PROTECTION, SPECTRA SHIELD OR CERAMIC FOR LINE 17

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: TAP 433

Size: 8"X10"& 10"X12"

Line: 20

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$190.00/EACH

Extended Description: BALLISTIC PLATE, TYPE IV THREAT LEVEL PROTECTION, CERAMIC FOR LINE 17

Free On Board Name: FOB Destination-Freight Prepaid

Model Number: TAP 434 Size 8"X10" & 10" X12"

Line: 21

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$939.00/EACH

Extended Description: BODY ARMOR, STAB VEST, TACTICAL DESIGN, TYPE IIA SPIKE III, SIZE S, M, L, & XL PER SPEC. NO. B, VS2.

Free On Board: FOB Destination-Freight Prepaid

Model Number: PACA SV2

Color: BLACK, NAVY, BROWN, OLIVE DRAB

Line: 22

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$1,039.00/EACH

Extended Description: BODY ARMOR, STAB VEST, TACTICAL DESIGN, TYPE IIA, SPIKE III, SIZE XXL, TO XXXXL PER SPEC. B, NO. VS2.

Free On Board: FOB Destination-Freight Prepaid

Model Number: PACA SV2

Color: BLACK, NAVY, BROWN, OLIVE DRAB

Line: 23

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Unit Price: \$939.00/EACH

Extended Description: BODY ARMOR, VEST, TACTICAL DESIGN, TYPE IIIA, SIZE S, M, L, & XL PER SPEC. NO. B, MODIFIED

Free On Board: FOB Destination-Freight Prepaid

Model Number: PACA SV2

Color: BLACK, NAVY, BROWN, OLIVE DRAB

Line: 24

Description: Police Protection Equipment (Body Armor And Riot Shields) And Supplies

Extended Description: BODY ARMOR, VEST, TACTICAL DESIGN, TYPE IIIA, SIZE XXL, TO

Unit Price: \$1,039.00/EACH

XXXXL PER SPEC. B, MODIFIED.

Free On Board: FOB Destination-Freight Prepaid

Model Number: PACA KGS3A

Color: BLACK, NAVY, BROWN, OLIVE DRAB
