

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF GENERAL SERVICES
DIVISION OF PURCHASES AND SUPPLY
P.O. BOX 1199
RICHMOND, VIRGINIA 23218-1199

CONTRACT RENEWAL
(Changes appear in Red)

1. DATE November 30, 2009
2. COMMODITY Paper Shredders
3. AGREEMENT NUMBER **E194-510-4**
4. SUPERSEDES E194-510-09
5. AGREEMENT PERIOD **December 1, 2009 through November 30, 2010**
6. AUTHORIZED USERS State Agencies & Other Public Bodies
7. CONTRACTORS HSM of America, LLC
1075 Andrew Drive,
West Chester, VA 19380
8. CONTRACTORS' PHONE NUMBERS 800-613-2110
9. TERMS Net 30
10. DELIVERY 7 Days ARO
11. MINIMUM ORDER One Shredder
12. Notice to all State Agencies and other Public Bodies: This purchasing agreement is optional use and is limited to orders that do not exceed \$5,000.00 (after discount and including freight).
13. **Note:** This public body does not discriminate against faith-based organizations in accordance with the *Code of Virginia*, § § 2.2-4343.1 or against a bidder or offeror because of race, religion, color, sex, national origin, age, disability, or any other basis prohibited by state law relating to discrimination in employment.
14. FURTHER CONTRACT INFORMATION CONTACT:

Betsy Bratton, CPPB, VCO
Statewide Contract Officer
Phone: (804) 786- 3854
Fax: (804) 786-5413
Email: betsy.bratton@dgs.state.va.us

By: 

Betsy Bratton, Statewide Contract Officer

INSTRUCTIONS

1. ORDERS:
 - A. Unless otherwise instructed by the Division of Purchases and Supply, all departments, institutions and agencies of the Commonwealth of Virginia will order items/services through eVA.
 - B. If this contract is authorized for use by localities, Virginia cities, counties, towns and political subdivisions, orders will be placed through eVA to the maximum extent possible.
2. Important!! **The applicable contract number, federal employer identification number (FEI), and item number (for itemized contracts) must be shown** on each purchase order and copy, each facsimile transmission or given verbally when telephonic orders are placed.
3. Inspection on delivery and approval of vendor's invoice is the responsibility of receiving state agency, Virginia city, county, town or political subdivision.
4. Any complaint as to quality, faulty or delinquent delivery, or violation of contract provisions by contractor shall be reported to the Division of Purchases and Supply for handling with the contractor. Preprinted forms (DGS-41-024), by which to facilitate the notification of the contractor and this office of complaints, are available from the Division of Purchases and Supply (804) 225-4045.
5. Renewals. Two (2) one-year renewals remain. The decision as to whether to exercise the next renewal option will be made by the contract officer approximately four to six months in advance of the expiration date of the current term.
6. Price Adjustments. During the current term of the contract, price escalation may be allowed every 365 days, if justified. The contract officer makes the decision to allow or deny a request for increase based upon the documentation submitted by the contractor. The contractor is required to pass on any price reductions immediately. **IMPORTANT!** All price increases must be approved by the contract officer. Contract users will be sent a Notice of Contract Change from this office as official notification of such changes, if approved.

CONTRACT VENDOR:

HSM of America, LLC
1075 Andrew Drive
West Chester, PA 19380

Fin #: 233016544

Contact Person: **Rebecca Meick, Sales Operations Manager**

Contact E-mail: **rebecca@hsmofamerica.com**

Contact Phone: 800-613-2110

Contact Fax: **610-918-4899**

Terms: Net 30

Delivery: 7 Days ARO

- For customer service, sales support, technical questions, and warranty issues, please call HSM at 800-613-2110.
- For sales related activities, Adams Marketing or Whitaker Bros., on behalf of HSM, may contact you for sales related activities. However, all purchase orders for items purchased against this state contract must be issued directly to HSM, not to Adams Marketing or Whitaker Bros.
- For "on location" maintenance/service calls, you may be contacted by Onsite Maintenance on behalf of HSM. However, you should first call HSM to place a warranty call.

E194-510-4 - VENDOR - HSM of America, LLC

Line: 1

NIGP Code: 60082

**HSM MODEL 70, STRAIGHT CUT,
SHRED SIZE 1/8" Strip Cut Paper Shredder**

Description: **5 sht_ltr_strip-cut_10** fpm
Specification: a. for desk top or wastebasket straddling operation, b. with the capability of shredding paper up to 8-3/4 inch in width, c. with the capacity for shredding up to five (5) sheets of 20 pound recycled multi-use paper, d. with a shred width of 0.10 inch to 0.15 inch, e. with a minimum shred speed of ten (10) feet per minute, f. with automatic start stop, g. with automatic shut off in a paper jam condition, h. with reverse function, i. with the capability of shredding an occasional small staple or small paper clip, j. for 120 VAC, single phase, 60 Hz power

Unit Price: **\$45.90**

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Model: 70

Color: ALMOND

Shred Size: 1/8"

Warranty Type: 1 Year Full Warranty - Parts and Labor

Line: 2

NIGP Code: 60082

**HSM MODEL 70, STRAIGHT CUT,
SHRED SIZE 1/4" Strip Cut Paper Shredder**

Description: **5 sht_ltr_strip-cut_10** fpm
Specification: a. for desk top or wastebasket straddling operation, b. with the capability of shredding paper up to 8-3/4 inch in width, c. with the capacity for shredding up to five (5) sheets of 20 pound recycled multi-use paper, d. with a shred width of 0.10 inch to 0.15 inch, e. with a minimum shred speed of ten (10) feet per minute, f. with automatic start stop, g. with automatic shut off in a paper jam condition, h. with reverse function, i. with the capability of shredding an occasional small staple or small

paper clip, j. for 120 VAC, single phase, 60 Hz power,

Unit Price: **\$45.90**

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Model: 70

Color: ALMOND

Shred Size: 1/4"

Warranty Type: 1 Year Full Warranty - Parts and Labor

Line: 3

NIGP Code: 60082

HSM MODEL 80cc, CROSS CUT, SHRED SIZE 1/8" X 5/8" Cross Cut Paper Shredder

Description: **5 sht_ltr_cross-cut_10** fpm

Specification: a. for desk top or wastebasket straddling operation, b. with the capability of shredding paper up to 8-3/4 inch in width, c. with the capacity for shredding up to five (5) sheets of 20 pound recycled multi-use paper, d. with an acceptable cross-cut shred size of 1/8 inch by 5/8 inch or an area of less than or equal to 0.1 square inches, e. with a minimum shred speed of ten (10) feet per minute, f. with automatic start stop, g. with automatic shut off in a paper jam condition, h. with reverse function, i. with the capability of shredding an occasional small staple or small paper clip, j. for 120 VAC, single phase, 60 Hz power

Unit Price: **\$130.05**

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Model: 80.2 CC

Color: ALMOND

Shred Size: 1/8 " x 5/8"

Warranty Type: 1 Year Full Warranty - Parts and Labor

Line: 5

NIGP Code: 60082

HSM MODEL 125.2, STRAIGHT CUT, SHRED SIZE 1/8" Strip Cut Paper Shredder

Description: **15 sht_ltr_strip-cut_15** fpm
Specification: a. for desk-side or copy-room operation, k. with the capability of shredding paper up to 10 inch in width, l. with the capacity for shredding up to fifteen (15) sheets of 20 pound recycled multi-use paper, m. with a shred width of 0.100 inch to 0.150 inch, n. with a minimum shred speed of fifteen (15) feet per minute, o. with automatic start stop, p. with automatic shut off in a paper jam condition, q. with reverse function, r. with the capability of shredding an occasional small staple or small paper clip, s. for 120 VAC, 60 Hz power

Unit Price: **\$459.00**

Unit: each
Free On Board Name: FOB Destination-Freight Prepaid
Model: 125.2
Color: ALMOND
Shred Size: 1/8"
Warranty Type: 1 Year Full Warranty - Parts and Labor

Line: 6

NIGP Code: 60082

HSM MODEL 125.2, STRAIGHT CUT, SHRED SIZE 1/4" : Strip Cut Paper Shredder

Description: **20 sht_ltr_strip-cut_15** fpm
Specification: a. for desk-side or copy-room operation, k. with the capability of shredding paper up to 10 inches in width, l. with the capacity for shredding up to twenty (20) sheets of 20 pound recycled multi-use paper, m. with a shred width of 0.225 inch to 0.275 inch, n. with a minimum shred speed of fifteen (15) feet per minute, o. with automatic start stop, p. with automatic shut off in a paper jam condition, q. with reverse function, r. with the capability of shredding an occasional small staple or small paper clip, s. for 120 VAC, 60 Hz power

Unit Price: **\$459.00**

Unit: each
Free On Board Name: FOB Destination-Freight Prepaid
Model: 125.2

Color: ALMOND

Shred Size: 1/4"

Warranty Type: 1 Year Full Warranty - Parts
and Labor

Line: 7

NIGP Code: 60082

**HSM MODEL 125.2cc, CROSS CUT,
SHRED SIZE 1/8" Cross Cut Paper Shredder**

Description: **15 sht_ltr_cross-cut_15** fpm
Specification: a. for desk-side or copy-room
operation, b. with the capability of shredding
paper up to 10 inches in width, c. with the
capacity for shredding up to fifteen (15) sheets
of 20 pound recycled multi-use paper, d. with
an acceptable cross-cut shred size of 1/8 inch by
5/8 inch or an area of less than or equal to 0.1
square inches, e. with a minimum shred speed
of fifteen (15) feet per minute, f. with automatic
start stop, g. with automatic shut off in a paper
jam condition, h. with reverse function, i. with
the capability of shredding an occasional small
staple or small paper clip, j. for 120 VAC,
single phase, 60 Hz power

Unit Price: **\$555.90**

Unit: each

Free On Board Name: FOB Destination-Freight
Prepaid

Model: 125.2 CC

Color: ALMOND

Shred Size: 1/8"

Warranty Type: 1 Year Full Warranty - Parts
and Labor

Line: 8

NIGP Code: 60082

**HSM MODEL 225.2cc, CROSS CUT,
SHRED SIZE 1/4" X 1-1/4" Cross Cut Paper
Shredder** Description: **20 sht_ltr_cross-cut_15**

fpm Specification: a. for desk-side or copy-
room operation, b. with the capability of
shredding paper up to 10 inch in width, c. with
the capacity for shredding up to twenty (20)
sheets of 20 pound recycled multi-use paper, d.

with an acceptable cross-cut shred size of 1/4 inch by 1-1/4 inch or an area of less than or equal to 0.35 square inches, e. with a minimum shred speed of fifteen (15) feet per minute, f. with automatic start stop, g. with automatic shut off in a paper jam condition, h. with reverse function, i. with the capability of shredding an occasional small staple or small paper clip, j. for 120 VAC, single phase, 60 Hz power

Unit Price: **\$832.32**

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Model: 225.2 CC

Color: ALMOND

Shred Size: 1/4" x 1 1/4"

Warranty Type: 1 Year Full Warranty - Parts and Labor

Line: 9

NIGP Code: 60082

HSM MODEL 390.2, STRAIGHT CUT, SHRED SIZE 1/8" Strip Cut Paper Shredder

Description: **35 sht_ltr_strip-cut_20** fpm
Specification: k. for desk-side or copy-room operation, t. with the capability of shredding paper up to 16 inch in width, u. with the capacity for shredding up to thirty-five (35) sheets of 20 pound recycled multi-use paper, v. with a shred width of 0.100 inch to 0.150 inch, w. with a minimum shred speed of twenty (20) feet per minute, x. with automatic start stop, y. with automatic shut off in a paper jam condition, z. with reverse function, aa. with the capability of shredding an occasional small staple or small paper clip, bb. for 120 VAC, 60 Hz power

Unit Price: **\$729.30**

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Model: 390.2

Color: ALMOND

Shred Size: 1/8"

Warranty Type: 1 Year Full Warranty - Parts

and Labor

Line: 10

NIGP Code: 60082

HSM MODEL 411.2sc, SHRED SIZE: 1/4" Strip Cut Paper Shredder Description: **50 sht_ltr_strip-cut_20** fpm Specification: b. for desk-side or copy-room operation, t. with the capability of shredding paper up to 16 inches in width, u. with the capacity for shredding up to fifty (50) sheets of 20 pound recycled multi-use paper, v. with a shred width of 0.225 inch to 0.275 inch, w. with a minimum shred speed of twenty (20) feet per minute, x. with automatic start stop, y. with automatic shut off in a paper jam condition, z. with reverse function, aa. with the capability of shredding an occasional small staple or small paper clip, bb. for 120 VAC, 60 Hz power

Unit Price: **\$1,732.98**

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Model: 411.2

Color: ALMOND

Shred Size: 1/4"

Warranty Type: 1 Year Full Warranty - Parts and Labor

Line: 11

NIGP Code: 60082

HSM MODEL 411.2cc, CROSS CUT, SHRED SIZE: 1/8" X 5/8" Cross Cut Paper Shredder Description: **35 sht_ltr_cross-cut_20** fpm Specification: k. for desk-side or copy-room operation, l. with the capability of shredding paper up to 16 inches in width, m. with the capacity for shredding up to thirty-five (35) sheets of 20 pound recycled multi-use paper, n. with an acceptable cross-cut shred size of 1/8 inch by 5/8 inch or an area of less than or equal to 0.1 square inches, o. with a minimum shred speed of twenty (20) feet per minute, p. with automatic start stop, q. with automatic shut off in a paper jam condition, r. with reverse function, s. with the capability of shredding an

occasional small staple or small paper clip, t. for
120 VAC, single phase, 60 Hz power

Unit Price: **\$1,936.98**

Unit: each

Free On Board Name: FOB Destination-Freight
Prepaid

Model: 411.2 CC

Color: ALMOND

Shred Size: 1/8" x 5/8"

Warranty Type: 1 Year Full Warranty - Parts
and Labor

Line: 12

NIGP Code: 60082

**HSM MODEL 411.2cc, CROSS CUT,
SHRED SIZE: 1/4" X 1 1/4" Cross Cut Paper
Shredder** Description: **50 sht_ltr_cross-cut_20**
fpm Specification: a. for desk-side or copy-
room operation, l. with the capability of
shredding paper up to 16 inch in width, m. with
the capacity for shredding up to fifty (50) sheets
of 20 pound recycled multi-use paper, n. with
an acceptable cross-cut shred size of 1/4 inch by
1-1/4 inch or an area of less than or equal to
0.35 square inches, o. with a minimum shred
speed of twenty (20) feet per minute, p. with
automatic start stop, q. with automatic shut off
in a paper jam condition, r. with reverse
function, s. with the capability of shredding an
occasional small staple or small paper clip, t. for
120 VAC, single phase, 60 Hz power.

Unit Price: **\$1,936.98**

Unit: each

Free On Board Name: FOB Destination-Freight
Prepaid

Model: 411.2 CC

Color: ALMOND

Shred Size: 1/4" x 1 1/4"

Warranty Type: 1 Year Full Warranty - Parts
and Labor

Terms And Conditions

TAXES: Sales to the Commonwealth of Virginia are normally exempt from State sales tax. State sales and use tax certificates of exemption, Form ST-12, will be issued upon request. Deliveries against this contract shall usually be free of Federal excise and transportation taxes. The Commonwealth's excise tax exemption registration number is 54-73-0076K.

eVA BUSINESS-TO-GOVERNMENT VENDOR REGISTRATION: The eVA Internet electronic procurement solution, web site portal www.eVA.virginia.gov streamlines and automates government purchasing activities in the Commonwealth. The eVA portal is the gateway for vendors to conduct business with state agencies and public bodies. All vendors desiring to provide goods and/or services to the Commonwealth shall participate in the eVA Internet e-procurement solution either through the eVA Basic Vendor Registration Service or eVA Premium Vendor Registration Service. All bidders or offerors must register in eVA; failure to register will result in the bid/proposal being rejected.

- a.) eVA Basic Vendor Registration Service: \$25 Annual Fee plus the appropriate order Transaction Fee specified below. eVA Basic Vendor Registration Service includes electronic order receipt, vendor catalog posting, on-line registration, electronic bidding and the ability to research historical procurement data available in the eVA purchase transaction data warehouse.
- b.) eVA Premium Vendor Registration Service: \$25 Annual Fee plus the appropriate Transaction Fee specified below. eVA Premium Vendor Registration Service includes all benefits of the eVA Basic Vendor Registration Service plus automatic email or fax notification of solicitations and amendments.
- c.) For orders issued prior to August 16, 2006 the Vendor Transaction Fee is 1% capped at a maximum of \$500 per order.
- d.) For orders issued August 16, 2006 and after, the Vendor Transaction Fee is:
 - (i) DMBE-certified Small Businesses: 1% capped at \$500 per order.
 - (ii) Businesses that are not DMBE-certified Small Businesses: 1% capped at \$1,500 per order.

RENEWAL OF CONTRACT: This contract may be renewed by the Commonwealth for (two)/(2) successive one year periods) under the terms and conditions of the original contract except as stated in 1. and 2. below. Price increases may be negotiated only at the time of renewal. Written notice of the Commonwealth's intention to renew shall be given approximately 90 days prior to the expiration date of each contract period. 1. If the Commonwealth elects to exercise the option to renew the contract for an additional one-year period, the contract price(s) for the additional one year shall not exceed the contract price(s) of the original contract increased/decreased by more than the percentage increase/decrease of the PPI Commodity Data Series Catalog: Series ID : WPS114 category of the CPI-W section of the Consumer Price Index of the United States Bureau of Labor Statistics for the latest twelve months for which statistics are available. 2. If during any subsequent renewal periods, the Commonwealth elects to exercise the option to renew the contract, the contract price(s) for the subsequent renewal period shall not exceed the contract price(s) of the previous renewal period increased/decreased by more than the percentage increase/decrease of the PPI Commodity Data Series Catalog: Series ID : WPS114 category of the CPI-W section of the Consumer Price Index of the United States Bureau of Labor Statistics for the latest twelve months for which statistics are available.

WARRANTY: All materials and equipment shall be fully guaranteed against defects in material and workmanship for a period of "One-Year" following date of delivery. Should any defect be noted by the owner, the Purchasing Office will notify the contractor of such defect or non-conformance. Notification will state either (1) that the contractor shall replace or correct, or (2) the owner does not require replacement or correction, but an equitable adjustment to the contract price will be negotiated. If the contractor is required to correct or replace, it shall be at no cost to the Commonwealth and shall be subject to all provisions of this clause to the same extent as materials initially delivered. If the contractor fails or refuses to replace or correct the deficiency, the office issuing the purchase order may have the materials corrected or replaced with similar items and charge the contractor the costs occasioned thereby or obtain an equitable adjustment in the contract price.

PRICE ESCALATION/DE-ESCALATION: Price adjustments may be permitted for changes in the contractor's cost of materials not to exceed the increase in the Producers Price Index . No price increases will be authorized for 365 calendar days after the effective date of the contract. Price escalation may be permitted only at the end of this period and each 365 days thereafter and only where verified to the satisfaction of the purchasing office. However, "across the board" price decreases are subject to implementation at any time and shall be immediately conveyed to the Commonwealth. Contractor shall give not less than 30 days advance notice of any price increase to the purchasing office. Any approved price changes will be effective only at the beginning of the calendar month following the end of the full 30 day notification period.

PRICE ESCALATION/DE-ESCALATION: The contractor shall document the amount and proposed effective date of any general change in the price of materials. Documentation shall be supplied with the contractor's request for increase which will: (1) verify that the requested price increase is general in scope and not applicable just to the Commonwealth of Virginia; and (2) verify the amount or percentage of increase which is being passed on to the contractor by the contractor's suppliers. The purchasing office will notify the using agencies and contractor in writing of the effective date of any increase which it approves. However, the contractor shall fill all purchase orders received prior to the effective date of the price adjustment at the old contract prices. The contractor is further advised that decreases which affect the cost of materials are required to be communicated immediately to the purchasing office.

CONTRACTOR'S QUARTERLY REPORT OF SALES: Contractor shall provide electronic reports in Microsoft Excel format on a quarterly basis showing invoiced sales data. A report template will be provided to the Contractor, which identifies the information and format to be provided. Reports are due no later the 15th of the month following the end of the calendar year quarter, reporting total invoiced sales and returns transactions that took place in the immediately three prior months. **Quarterly reports shall be sent to the contract officer AND to the following email address: VappReport@dgs.virginia.gov.** Consistent report tardiness may be cause for contract termination.

	<u>Sales Months</u>	<u>Quarterly Report Due:</u>
1 st Quarter	January, February, March	Due 15 th of April
2 nd Quarter	April, May, June	Due 15 th of July

3 rd Quarter	July, August, September	Due 15 th of October
4 th Quarter	October, November, December	Due 15 th of January

B. SURCHARGE ADJUSTMENT: The Contractor must pay the Department of General Services (DGS), a Surcharge Adjustment (SCA) fee under this Contract. The SCA fee reimburses the Commonwealth and defrays the costs for Spend Management procurements and the administration of the subsequent awards. The Contractor must remit the SCA fee within 30 days after the end of each calendar year quarter. It is the intent of the Commonwealth to capture 2% of all invoiced transactions under the Contract. The SCA fee equals two percent (2%) of the total invoiced sales as reported in the Contractor's quarterly reports for the previous calendar year quarter. The SCA fee amount due must be paid by check. The check stub or other remittance material must include "VAPP SCA fee", the contract number, and dates of the three-month reporting period. DGS may at its discretion, agree to an electronic funds transfer, in lieu of a check, however in the absence of an express written agreement from DGS that validates agreement, then the payment shall be made by check as described herein made payable to the Treasurer of Virginia.

Checks are to be payable to: **Treasurer of Virginia.**

Checks are to be mailed to:

Department of General Services
P.O. Box 267
Richmond, VA 23218-0267

SCA FEES DUE:

1 st Quarter (sales reports Jan, Feb, March)	Due 30 th of April
2 nd Quarter (sales reports Apr, May, June)	Due 30 th of July
3 rd Quarter (sales reports July, Aug, Sept)	Due 30 th of October
4 th Quarter (sales reports Oct, Nov, Dec)	Due 30 th of January

If the full amount of the SCA fee is not paid within 30 calendar days of due date, it shall constitute a Contract debt to the Commonwealth of Virginia, and the State may exercise all rights and remedies available under law. Failure to submit sales reports, falsification of sales reports, and or failure to pay the SCA fee in a timely manner may result in termination or cancellation of this Contract.

HSM
Of America

- ▣ Paper Shredders
- ▣ Baling Presses

HSM MODEL 70 SHREDDER

HSM Model 70 Features:

- Automatic Start/Stop Control
- Standby operation without energy consumption
- Rockerswitch for On/Off and reversing
- Integrated container can also be used as a trash can
- Specially hardened steel cutters are unaffected by standard paper clips or staples
- Powerful drive for high performance, motor protected with thermal fuse
- The tried and tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life
- Ideal for home office use and desk side personal shredding where discretion is a priority
- Placed immediately next to or under the desk, it can be loaded easily and starts its work automatically.

MODEL HSM 70

SPECIFICATIONS:	StraightCut
Shred Size	1/8"
Shred Speed	16 ft/minute
Sheet Capacity*	up to 6 Sheets
Container Volume	4 gal
Throat Opening	8 3/4"
Power Supply	115V
Motor	.13 hp
Dimensions	11-3/4"w x 7"h x 13-1/4"d
Shipping Wgt.	4 lbs.

Line #1

**Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.*



HSM MODEL 70 SHREDDER

HSM Model 70 Features:

- Automatic Start/Stop Control
- Standby operation without energy consumption
- Rocker switch for On/Off and reversing
- Integrated container can also be used as a trash can
- Specially hardened steel cutters are unaffected by standard paper clips or staples
- Powerful drive for high performance, motor protected with thermal fuse
- The tried and tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life
- Ideal for home office use and deskside personal shredding where discretion is a priority
- Placed immediately next to or under the desk, it can be loaded easily and starts its work automatically

MODEL HSM 70	
SPECIFICATIONS:	StraightCut
Shred Size	1/4"
Shred Speed	16 ft/minute
Sheet Capacity*	up to 7 Sheets
Container Volume	4 gal
Throat Opening	8 3/4"
Power Supply	115V
Motor	.13 hp
Dimensions	11-3/4"w x 7"h x 13-1/4"d
Shipping Wgt.	4 lbs.

Line #2

*Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.


HSM
Of America

- ▶ Paper Shredders
- ▶ Baling Presses

HSM 80 SERIES SHREDDER

HSM 80 Series Features:

- Auto start/stop
- Specially hardened solid steel cutting cylinders are unaffected by standard paper clips or staples
- Compact console unit for deskside shredding
- Secondary Opening for Non-discretionary trash
- Rocker switch for On/Off and Reverse
- Powerful drive for high performance motor with thermal protection
- The tried and tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life
- Ideal for home office use and deskside personal shredding where discretion is a priority
- Placed immediately next to or under the desk, it can be loaded easily and starts its work automatically.
- All Cross Cut shredders should be oiled regularly to maintain top working condition.



MODEL HSM 80	
SPECIFICATIONS:	Strip Cut
Shred Size	1/8"
Shred Speed	16 ft/minute
Sheet Capacity*	up to 5 Sheets
Container Volume	4 Gallons
Throat Opening	8.75"
Power Supply	115 V
Motor	.13 hp
Dimensions	12"w x 14.75" h x 9.33" d

MODEL HSM 80cc	
SPECIFICATIONS:	Cross Cut
Shred Size	1/8" x 5/8
Shred Speed	16 ft/minute
Sheet Capacity*	up to 5 Sheets
Container Volume	4 Gallons
Throat Opening	8 3/4"
Power Supply	115 V
Motor	.13 hp
Dimensions	12"w x 14.75" h x 9.33" d


Line 3

*Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.

HSM

- ✔ Office Technology
- ✔ Enviro Technology

HSM MODEL 125.2 SHREDDER

**MODEL HSM 125.2**

SPECIFICATIONS:	Straight Cut
Shred Size	1/8"
Shred Speed	24 ft/minute
Sheet Capacity	28 Sheets
Container Volume	18 Gallons
Throat Opening	10.5"
Power Supply	1.62 hp
Motor	115V
Dimensions	17.5"w x 32.6"h x 13.5"d
Shipping Wgt.	75 lbs.

**Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.*

HSM Model 125.2 Features:


This professional data security device is the ideal central device for a mid-sized busy office. It shreds credit cards with ease and chews through paper clips and standard staples.

- Ideal for 5-7 person office in need of a centralized shredder.
- Auto Start/Stop via electronic eye
- Reverse button for overfed paper
- Auto stop and container full indicator
- Specially hardened steel cutters that are unaffected by standard paper clips or staples
- Model 125.2 can shred credit cards, DVD's & CDRoms in addition to paper!
- Powerful, specially adjusted motor for longer periods of use - with thermal protection for high performance
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life.
- Enclosed housing protects against the spread of paper dust

HSM

- Office Technology
- Erwato Technology

HSM MODEL 125.2 SHREDDER

**MODEL HSM 125.2**

SPECIFICATIONS:	Straight Cut
Shred Size	1/4"
Shred Speed	24 ft/minute
Sheet Capacity	30 Sheets
Container Volume	18 Gallons
Throat Opening	10.5"
Power Supply	1.62 hp
Motor	115V
Dimensions	17.5"w x 32.6"h x 13.5"d
Shipping Wgt.	75 lbs.

*Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.

HSM Model 125.2 Features:


This professional data security device is the ideal central device for a mid-sized busy office. It shreds credit cards with ease and chews through paper clips and standard staples.

- Ideal for 5-7 person office in need of a centralized shredder.
- Auto Start/Stop via electronic eye
- Reverse button for overfed paper
- Auto stop and container full indicator
- Specially hardened steel cutters that are unaffected by standard paper clips or staples
- Model 125.2 can shred credit cards, DVD's & CDRoms in addition to paper!
- Powerful, specially adjusted motor for longer periods of use - with thermal protection for high performance
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life.
- Enclosed housing protects against the spread of paper dust

HSM**HSM MODEL 125.2 CC SHREDDER**

Office Technology

Enviro Technology

**MODEL HSM 125.2cc**

SPECIFICATIONS:	Cross Cut
Shred Size	1/8 x 5/8
Shred Speed	26 ft/minute
Sheet Capacity*	18 Sheets
Container Volume	18 Gallons
Throat Opening	10.5"
Power Supply	1.72 hp
Motor	115V
Dimensions	17.5"w x 32.6"h x 13.5"d
Shipping Wgt.	85 lbs.

*Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.

HSM Model 125.2cc Features:

This professional data security device is the ideal central device for a mid-sized busy office. chews through paper clips and standard staples with ease. Ideal for 6-9 person use when added security is necessary.


- Auto Start/Stop via electronic eye
- Reverse button for overfed paper
- Auto stop and container full indicator
- Specially hardened steel cutters that are unaffected by paper clips, staples, & credit cards.
- Powerful, specially adjusted motor for longer periods of use - with thermal protection for high performance
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life.
- Enclosed housing protects against the spread of paper dust and provides for "whisper quiet" shredding
- Cutting rollers with patented V groove
- Cross cut shredders should be oiled to maintain top working condition -- automatic oiler available

HSM

Office Technology

Enviro Technology

HSM MODEL 225.2CC SHREDDER



HSM Model 225.2cc Features:

The most powerful model of the office series is the ideal central device for large offices.

- Auto Start/Stop via electronic eye
- Standby operation with LED
- Auto stop when container is full and door is open
- New auto stop with LED plus auto reverse in case of a paper jam
- Specially hardened steel cutters are unaffected by standard paper clips, credit cards, floppies, & CD's
- Especially convenient pull-out system for removing the integrated, sturdy, reusable collecting bag.
- Powerful, specially adjusted motor for longer periods of use - with thermal protection for high performance
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life.
- Enclosed housing protects against the spread of paper dust and provides for "whisper quiet" shredding
- Mobile on castors
- Cross cut shredders should be oiled to maintain top working condition – Automatic Oiler Recommended and Available

MODEL HSM 225.2

Line # 8

SPECIFICATIONS:	Cross Cut
Shred Size	1/4" x 1 1/4"
Shred Speed	27 ft/minute
Sheet Capacity	*27 Sheets
Container Volume	24 Gallons
Throat Opening	12"
Power Supply	2 hp
Motor	115V
Dimensions	19.7"w x 35.25"d x 16.5"h
Shipping Wgt.	150 lbs.


**Sheet capacity may vary depending on paper weight, grain and size.*

HSM

Office Technology

Enviro Technology

HSM MODEL 390.2 SHREDDER

**MODEL HSM 390.2**

SPECIFICATIONS:	Straight Cut
Shred Size	1/8"
Shred Speed	25 ft/minute
Sheet Capacity	40 Sheets
Container Volume	34 Gallons
Throat Opening	16"
Power Supply	2 hp
Motor	115V
Dimensions	23.4"w x 35.75"h x 18.5"d
Shipping Wgt.	170 lbs.

*Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.

HSM Model 390.2 Features

With its completely precise cut and an extremely handy automatic reverse, the starter model of the professional series can handle large workloads, even in 15-20 person departments.


- Auto Start/Stop via electronic eye
- In case of paper jam; auto stop with LED as well as auto reverse are standard.
- Auto stop when container is full and door is open
- Specially hardened steel cutters are unaffected by paper clips, staples, credit cards, CD's, DVD & Floppy
- Practical storage space with optional paper trays for paper stacks. (paper trays available for purchase)
- Especially convenient pull-out system for removing the integrated, sturdy, reusable collecting bag.
- Powerful, specially adjusted motor for longer periods of use - with thermal protection for high performance
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life.
- Enclosed housing protects against the spread of paper dust and provides for "whisper quiet" shredding
- Mobile on castors

HSM

Office Technology

Enviro Technology

HSM MODEL 411.2sc SHREDDER



MODEL HSM 411.2sc

SPECIFICATIONS:	Strip Cut
Shred Size	1/4
Shred Speed	22 ft/minute
Sheet Capacity*	65 Sheets
Container Volume	34 Gallon
Throat Opening	16"
Power Supply	2.82 hp
Motor	115V
Dimensions	23.43"w x 37.8"h x 18.5"d
Shipping Wgt.	270 lbs.

Line #10

HSM Model 411.2sc Features:

Large volumes of data media are shredded without problems by the HSM 411.2 on all office floors. This professional series work-horse is suitable for a 20-25 person office.


- Key pad for constant operation and reverse
- Auto stop when container is full and door is open
- Fully integrated, mechanical compression device for cross cutting units
- Specially hardened steel cutters are unaffected by standard paper clips, staples, credit cards, CD's & Floppy
- Practical storage space with optional paper trays for paper stacks. (paper trays available for purchase)
- Especially convenient pull-out system for removing the integrated, sturdy, reusable collecting bag.
- Powerful, specially adjusted motor for longer periods of use - with thermal protection for high performance
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life.
- Enclosed housing protects against the spread of paper dust and provides for "whisper quiet" shredding

**Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.*

HSM**HSM MODEL 411.2cc SHREDDER**

Office Technology

Enviro Technology

**HSM Model 411.2cc Features:**

Large volumes of data media are shredded without problems by the HSM 411.2 on all office floors. This professional series work-horse is suitable for a 20-25 person office.

- Key pad for constant operation and reverse
- Auto stop when container is full and door is open
- Fully integrated, mechanical compression device for cross cutting units
- Specially hardened steel cutters are unaffected by paper clips, staples, credit cards, CD/DVD & Floppy
- Practical storage space with optional paper trays for paper stacks. (paper trays available for purchase)
- Especially convenient pull-out system for removing the integrated, sturdy, reusable collecting bag.
- Powerful, specially adjusted motor for longer periods of use - with thermal protection for high performance
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life.
- Enclosed housing protects against the spread of paper dust and provides for "whisper quiet" shredding
- Cross cut shredders should be oiled to maintain top working condition


MODEL HSM 411.2cc

SPECIFICATIONS:	Cross Cut
Shred Siz	1/8 x 5/8
Shred Speed	24 ft/minute
Sheet Capacity*	38 Sheets
Container Volume	34 Gallons
Throat Opening	16"
Power Supply	2.82 hp
Motor	115V
Dimensions	23.43"w x 39"h x 18.5"d
Shipping Wgt.	270 lbs.

**Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.*

HSM**HSM MODEL 411.2CC SHREDDER**

- ▶ Office Technology
- ▶ Enviro Technology

**MODEL HSM 411.2cc**

SPECIFICATIONS:	Cross Cut
Shred Siz	1/4 x 1 1/4
Shred Speed	24 ft/minute
Sheet Capacity*	50 Sheets
Container Volume	34 Gallons
Throat Opening	16"
Power Supply	2.82 hp
Motor	115V
Dimensions	23.43"w x 39"h x 18.5"d
Shipping Wgt.	270 lbs.

*Sheet capacity may vary depending on paper weight. Specifications above based on 20 lb paper weight. Product & specifications subject to change.

HSM Model 411.2cc Features:

Large volumes of data media are shredded without problems by the HSM 411.2 on all office floors. This professional series work-horse is suitable for a 20-25 person office.

- Key pad for constant operation and reverse
- Auto stop when container is full and door is open
- Fully integrated, mechanical compression device for cross cutting units
- Specially hardened steel cutters are unaffected by paper clips, staples, credit cards, CD/DVD & Floppy
- Practical storage space with optional paper trays for paper stacks. (paper trays available for purchase)
- Especially convenient pull-out system for removing the integrated, sturdy, reusable collecting bag.
- Powerful, specially adjusted motor for longer periods of use - with thermal protection for high performance
- The tried-and-tested closed tooth wheel drive prevents penetration of dirt and slows wear, thus increasing the service life.
- Enclosed housing protects against the spread of paper dust and provides for "whisper quiet" shredding
- Cross cut shredders should be oiled to maintain top working condition