

E194-232-08 - Pitney Bowes - Level IX

E194-232-08 Pitney Bowes	Pricing includes the Scale listed.		
LEVEL IX			
OUTRIGHT PURCHASE			
Contractor		Pitney Bowes	
TAC	3,532.00	Machine Model #	DM500
M2	360.00	Scale	5LB
M3	360.00	Meter	IA00
R3	0.00		
36MR	0.00		
RM3	1,800.00		
	6,052.00		
36 MONTH RENTAL			
Contractor		Pitney Bowes	
36RNTL	4,195.00	Machine Model #	DM500
R3	0.00	Scale	5LB
36MR	0.00	Meter	IA00
RM3	1,800.00		
	5,995.00		
12 MONTH RENTAL			
Contractor		Pitney Bowes	
12RNTL	7,514.00	Machine Model #	DM500
R1	0.00	Scale	5LB
12MR	0.00	Meter	IA00
RM1	600.00		
	8,114.00		

Award Specifications for Level IX

E194-232-08 - Pitney Bowes - Level IX

C. Each level contains three purchase/rental choice with the following life cycle cost (LCC) criteria:

1. Outright Purchase:

$$\text{LCC} = \text{TAC} + \text{M2} + \text{M3} + \text{R3} + 36\text{MR} + \text{RM3}$$

where: **TAC** = total acquisition cost including one year warranty (less meter rental).

M2 = full service maintenance cost including preventive maintenance for year two,
M3 = full service maintenance cost including preventive maintenance for year three,
R3 = rate change insurance for a three year period,
36MR = meter reset cost for 36 resets at a rate of one per month,
RM3 = rental of postage meter for a three year period,

and with the date of installation acceptance used as a beginning for the time periods referenced.

2. 36 Month Rental:

$$\text{LCC} = 36\text{RNTL} + \text{R3} + 36\text{MR} + \text{RM3}$$

where: **36RNTL** = total 36 month rental cost (less meter rental).

R3 = rate change insurance for a three year period,
36MR = meter reset cost for 36 resets at a rate of one per month,
RM3 = rental of postage meter for a three year period,

and with the date of installation acceptance used as a beginning for the time periods referenced.

3. 12 Month Rental:

E194-232-08 - Pitney Bowes - Level IX

LCC = 12RNTL + R1 + 12MR + RM1

where: **12RNTL** = total 12 month rental cost (less meter rental).

- R1** = rate change insurance for a one year period,
- 12MR** = meter reset cost for 12 resets at a rate of one per month,
- RM1** = rental of postage meter for a one year period,

and with the date of installation acceptance used as a beginning for the time periods referenced.

J. Level IX System:

1. Mailing Machine:

a. with the capability provided for processing at least a single rate **somewhere within** the range of 100 and 149 pieces of letter and post card, like-weight, mail per minute, with letter and post card mail sizes:

Letter Mail Dimensions

<u>Dimension</u>	<u>Minimum</u>	<u>Maximum</u>
Height	3-1/2 inches	6-1/8 inches
Length	5 inches	11-1/2 inches
Thickness	0.007 inch	1/4 inch

Post Card Mail Dimensions

<u>Dimension</u>	<u>Minimum</u>	<u>Maximum</u>
Height	3-1/2 inches	4-1/4 inches
Length	5 inches	6 inches
Thickness	0.007 inch	0.016 inch

E194-232-08 - Pitney Bowes - Level IX

as defined in USPS Publication 25, 2003, with processing defined as the feeding, sealing, metering, imprinting, and stacking,

- b. with other mail piece processing with a thickness of 3/8 inch and less, and 10 inches by 13 inches and less in size, with the flap on the long edge of the envelope, (this calls for a wide deck type feeder, with this feeder wide enough to allow mail pieces to flow through the machine without the operator having to push the mail pieces to keep them in line),
- c. with the mailing machine interconnected with an electronic type postage meter,
 - d. with a non-power type table top stacker,
- e. with wet/dry or pressure sensitive tape, with the pressure sensitive tape having a grab type tab for ease of tape separation during manual application operation,
- f. with the mail processing system electronically interfaced with the postage scale and postage meter,
- g. and with the capability provided for checking the postage meter date prior to postage printing,
- h. with a water envelope sealing system to provide for an even moist seal, with an easy fill reservoir, with this feature for letter mail of 3/8 inch and less in thickness and 10 inch by 13 inch and less in size,
- i. with the following modes of operation for letter mail of 3/8 inch and less in thickness:

E194-232-08 - Pitney Bowes - Level IX

- 1) envelope nested or unnested (only one required),
- 2) envelope sealed,
- 3) envelope unsealed,
- 4) seal only,

2. Weighing System:

- a. with the capability of handling USPS and UPS,
- b. and with a postage scale:
 - 1) with a capacity of at least two pounds,
 - 2) with an accuracy of within 0.1 ounce of the true value, with weight increments of 0.5 ounce between 0 and 49 pounds, and 1.0 ounce above 49 pounds,
 - 3) with weight displayed as a digital readout,
 - 4) and other size scales may be offered as options to the contract, with these other sizes able to connect with the system offered,

3. Rental of Postage Meter:

- a. with the capability provided of meter reset over a standard analog central office (CO) telephone line,
- b. with other optional reset communications methods offered as options to the standard CO line method, so long as any other methods are allowed by the USPS,

E194-232-08 - Pitney Bowes - Level IX

c. with a display for indicating the amount left on the meter,
which may be provided as the amount used instead of the amount
left on the meter,

4. Accounting System:

a. with the capability provided to track 45 accounts,