

**LEVEL XII DM875****15 LB****RENTAL TERM: 36 Months****RENTAL PAYMENT INFORMATION**

# of Payments	Total
36	\$451/month

**EQUIPMENT DETAILS**

Qty	Pack/Item	Equipment Description
1	SVAD	DM875 Digital Mailing System
1	1M00	IntelliLink Interface / PSD for DM500-DM1100
1	1FA4	Budget Manager: Dept Acct
1	1FWG	15lb Integrated Weighing
1	SPMK	Budget Manager Professional Installation
1	DJPS	Power Stacker for DM800i
1	MP15	15lb Integrated Weighing Platform
1	MP3X	Differential Weighing for 15 lb or 30 lb Scale
1	SPY8	Printer
1	1D00	IntelliLink Subscription

**LEVEL XII DM875****30 LB SCALE OPTION****RENTAL TERM: 36 Months****RENTAL PAYMENT INFORMATION**

# of Payments	Total
36	\$510/month

**EQUIPMENT DETAILS**

Qty	Pack/Item	Equipment Description
1	SVAD	DM875 Digital Mailing System
1	1M00	IntelliLink Interface / PSD for DM500-DM1100
1	1FA4	Budget Manager: Dept Acct
1	1FW6	30lb Interfaced Weighing
1	SPMK	Budget Manager Professional Installation
1	DJPS	Power Stacker for DM800i
1	MP30	15/30 lb Weighing Platform
1	MP3X	Differential Weighing for 15 lb or 30 lb Scale
1	SPY8	Printer
1	1D00	IntelliLink Subscription

**LEVEL XII DM875****70 LB SCALE OPTION****RENTAL TERM: 36 Months****RENTAL PAYMENT INFORMATION**

<b># of Payments</b>	<b>Total</b>
36	\$536/month

**EQUIPMENT DETAILS**

<b>Qty</b>	<b>Pack/Item</b>	<b>Equipment Description</b>
1	SVAD	DM875 Digital Mailing System
1	1M00	IntelliLink Interface / PSD for DM500-DM1100
1	1FA4	Budget Manager: Dept Acct
1	1FW7	70lb Interfaced Weighing
1	SPMK	Budget Manager Professional Installation
1	DJPS	Power Stacker for DM800i
1	MP49	70/149 lb Weighing Platform
1	MP4X	Differential Weighing for 70 lb Scale
1	SPY8	Printer
1	1D00	IntelliLink Subscription

**LEVEL XII DM875****149 LB SCALE OPTION****RENTAL TERM: 36 Months****RENTAL PAYMENT INFORMATION**

<b># of Payments</b>	<b>Total</b>
36	\$565/month

**EQUIPMENT DETAILS**

<b>Qty</b>	<b>Pack/Item</b>	<b>Equipment Description</b>
1	SVAD	DM875 Digital Mailing System
1	1M00	IntelliLink Interface / PSD for DM500-DM1100
1	1FA4	Budget Manager: Dept Acct
1	1FW8	149lb Interfaced Weighing
1	SPMK	Budget Manager Professional Installation
1	DJPS	Power Stacker for DM800i
1	MP49	70/149 lb Weighing Platform
1	MP5X	Differential Weighing for 149 lb Scale
1	SPY8	Printer
1	1D00	IntelliLink Subscription

**LEVEL X-XI-XII SBCZ/SBZG UPGRADE  
DM825/DM875 WEIGH-ON-WAY OPTIONS**

**RENTAL TERM: 36 Months**

**RENTAL PAYMENT INFORMATION**

<b># of Payments</b>	<b>Contract Term</b>	<b>Monthly Payment Amt</b>
	12	\$ 247
	13	\$ 231
	14	\$ 217
	15	\$ 204
	16	\$ 193
	17	\$ 184
	18	\$ 175
	19	\$ 168
	20	\$ 161
	21	\$ 155
	22	\$ 149
	23	\$ 144
	24	\$ 139
	25	\$ 135
	26	\$ 131
	27	\$ 127
	28	\$ 124
	29	\$ 121
	30	\$ 118
	31	\$ 115
	32	\$ 113
	33	\$ 110
	34	\$ 108
	35	\$ 106
	36	\$ 104

**EQUIPMENT DETAILS**

<b>Qty</b>	<b>Pack/Item</b>	<b>Equipment Description</b>
1	SBZA	Weigh on Way Enhancement DM825/DM875 Digital Mailing System NOTE: Add W-O-W module to existing DM825/DM875 Rental

**E194-232-09 - Pitney Bowes - Level XII**

<b>E194-232-09 Pitney Bowes</b>		Pricing includes the Scale listed.					
<b>LEVEL XII</b>							
<b>OUTRIGHT PURCHASE</b>							
<b>Contractor</b>					<b>Pitney Bowes</b>		
TAC		7,395.00		<b>Machine Model #</b>	DM875		
M2		1,478.00		<b>Scale</b>	15LB		
M3		1,478.00		<b>Meter</b>	IA00		
R3		0.00		<b>Printer</b>	SPY8		
36MR		0.00		<b>Stacker / Catch Tray</b>	DM800i Stacker		
RM3		4,500.00		<b># Accnts</b>	200		
		14,851.00					
<b>36 MONTH RENTAL</b>							
<b>Contractor</b>					<b>Pitney Bowes</b>		
36RNTL		14,436.00		<b>Machine Model #</b>	DM875		
R3		0.00		<b>Scale</b>	15LB		
36MR		0.00		<b>Meter</b>	IA00		
RM3		1,800.00		<b>Printer</b>	SPY8		
		16,236.00		<b>Stacker / Catch Tray</b>	DM800i Stacker		
				<b># Accnts</b>	200		
<b>12 MONTH RENTAL</b>							
<b>Contractor</b>					<b>Pitney Bowes</b>		
12RNTL		15,676.00		<b>Machine Model #</b>	DM875		
R1		0.00		<b>Scale</b>	15LB		
12MR		0.00		<b>Meter</b>	IA00		
RM1		1,500.00		<b>Printer</b>	SPY8		
		17,176.00		<b>Stacker / Catch Tray</b>	DM800i Stacker		
				<b># Accnts</b>	200		

**E194-232-09 - Pitney Bowes - Level XII**

<b>Award Specifications for Level XII</b>							
C. Each level contains three purchase/rental choice with the following life cycle cost (LCC) criteria:							
<b>1. Outright Purchase:</b>							
<b><math>LCC = TAC + M2 + M3 + R3 + 36MR + RM3</math></b>							
where: <b>TAC</b> = total acquisition cost including one year warranty (less meter rental).							
<b>M2</b> = full service maintenance cost including preventive maintenance for year two,							
<b>M3</b> = full service maintenance cost including preventive maintenance for year three,							
<b>R3</b> = rate change insurance for a three year period,							
<b>36MR</b> = meter reset cost for 36 resets at a rate of one per month,							
<b>RM3</b> = rental of postage meter for a three year period,							
and with the date of installation acceptance used as a beginning for the time periods referenced.							
<b>2. 36 Month Rental:</b>							
<b><math>LCC = 36RNTL + R3 + 36MR + RM3</math></b>							
where: <b>36RNTL</b> = total 36 month rental cost (less meter rental).							
<b>R3</b> = rate change insurance for a three year period,							
<b>36MR</b> = meter reset cost for 36 resets at a rate of one per month,							
<b>RM3</b> = rental of postage meter for a three year period,							
and with the date of installation acceptance used as a beginning for the time periods referenced.							
<b>3. 12 Month Rental:</b>							

**E194-232-09 - Pitney Bowes - Level XII**

<b>LCC = 12RNTL + R1 + 12MR + RM1</b>									
where: <b>12RNTL</b> = total 12 month rental cost (less meter rental).									
<b>R1</b> = rate change insurance for a one year period,									
<b>12MR</b> = meter reset cost for 12 resets at a rate of one per month,									
<b>RM1</b> = rental of postage meter for a one year period,									
and with the date of installation acceptance used as a beginning for the time									
periods referenced.									
<b>M. Level XII System:</b>									
1. Mailing Machine:									
a. with the capability provided for processing at least a single rate									
<b>minimum</b> of 200 pieces of letter and post card, like-weight,									
card, like-weight, minimum thickness mail per minute, with letter and									
post card mail sizes:									
<u>Letter Mail Dimensions</u>									
<u>Dimension      Minimum      Maximum</u>									
Height      3-1/2 inches      6-1/8 inches									
Length      5 inches      11-1/2 inches									
Thickness      0.007 inch      1/4 inch									
<u>Post Card Mail Dimensions</u>									
<u>Dimension      Minimum      Maximum</u>									
Height      3-1/2 inches      4-1/4 inches									
Length      5 inches      6 inches									
Thickness      0.007 inch      0.016 inch									

**E194-232-09 - Pitney Bowes - Level XII**

as defined in USPS Publication 25, 2003, with processing defined					
as the feeding, sealing, metering, imprinting, and stacking,					
b. with other mail piece processing, not under the processing speed					
requirements, with a thickness of 5/8 inch and less, and 10 inches					
by 13 inches and less in size, with the flap on the long edge of the					
envelope, (this calls for a wide deck type feeder, with this feeder					
wide enough to allow mail pieces to flow through the machine					
without the operator having to push the mail pieces to keep them					
in line),					
c. with the mailing machine interconnected with an electronic type					
postage meter and the postage scale,					
d. with a power stacker or catch tray handling at least 300 pieces of					
letter mail,					
e. with the capability of processing mixed mail, with processing					
defined as metering and:					
1) direct printing the postage as the mail processing machine					
feeds each mail piece manually removed from a differential					
scale, with a mail piece thickness of 1/4 inch and less and a					
weight limit of 16 ounces and less,					
2) and for mail over these limits (up to the limit of the scale)					
generating a wet/dry (switch selectable) or pressure sensitive					
tape label (one or the other with both not required) each time a					
mail piece is removed from the differential weighing system,					
with the pressure sensitive tape having a grab type tab for ease					
of tape separation during manual application,					
f. with an inking system to provide at least 30,000 impressions					

**E194-232-09 - Pitney Bowes - Level XII**

without the need to change inking supplies, with an ink intensity control,							
g. with the mail processing system electronically interfaced with the postage scale and postage meter,							
h. with the capability provided for checking the postage meter date prior to postage printing,							
i. with a water envelope sealing system to provide for an even moist seal, with an easy fill reservoir, with this feature for letter mail of 1/4 inch and less in thickness,							
j. with the following modes of operation for letter mail of 1/4 inch and less in thickness:							
1) envelope nested or unnested (only one required),							
2) envelope sealed,							
3) envelope unsealed,							
4) seal only,							
2. Weighing System:							
a. with the following rates for USPS classes and services provided through the interconnection of the meter and mail processing system:							
1) USPS Classes:							
a) 1st Class/Priority, Pre-sort, and Automation rates (including ZIP plus 4, and Bar Coded rates,							
b) Standard Mail (formerly designated by the USPS as							

**E194-232-09 - Pitney Bowes - Level XII**

3rd/4th Class),							
c) International Air/Surface, rates,							
d) Overnight Express,							
2) USPS Services:							
a) Registered,							
b) Certified,							
c) Return Receipt,							
d) Return Receipt with Address,							
e) Insured,							
f) Oversize or Non-standard Surcharge,							
b. and with a postage scale:							
1) with a capacity of at least two pounds,							
2) with an accuracy of within 0.1 ounce of the true value, with weight increments of 0.5 ounce between 0 and 49 pounds, and 1.0 ounce above 49 pounds,							
3) with weight displayed as a digital readout,							
4) and other size scales may be offered as options to the contract, with these other sizes able to connect with the system offered,							
3. Report Printer:							
a. laser or ink jet type interfaced with the offered system,							
b. for report printing,							
c. using standard 8½ by 11 inch 20 pound paper,							

**E194-232-09 - Pitney Bowes - Level XII**

d. using commercially available toner or ink cartridges,								
4. Rental of Postage Meter:								
a. with the capability provided of meter reset over a standard analog central office (CO) telephone line,								
b. with other optional reset communications methods offered as options to the standard CO line method, so long as any other methods are allowed by the USPS,								
c. with a display for indicating the amount left on the meter, which may be provided as the amount used instead of the amount left on the meter,								
5. Accounting System:								
a. with the capability provided to track 200 accounts,								
b. with the capability of printing a user defined time period transaction report, with this report capable of being structured to provide the following details (not necessarily all on the same report):								
1) by account number:								
a) Class of Mail								
b) Number of Pieces								
c) Total Amount Expended								
2) grand total of all accounts,								

**E194-232-09 - Pitney Bowes - Level XII**

3) accumulative accounting, with the ability to archive data and							
print on demand,							
c. with the capability provided of printing and viewing on a display							
the information on each account,							
d. and with a security feature requiring an account number to meter							
funds being dispensed.							