

DIVISION OF PURCHASES AND SUPPLY
805 E. BROAD STREET, P. O. BOX 1199
RICHMOND, VIRGINIA 23218-1199

NOTICE OF CONTRACT RENEWAL

1. DATESeptember 9, 2004
2. COMMODITY NAME.....**Chevrolet Tahoe, 4X4, FFV, Intermediate SUV & Police Pursuit, 4 X 2, Tahoe**
.....**Build-out Date: April 6, 2005**
3. CONTRACT NUMBER.....**5010-50-AF-B**
4. CONTRACT PERIOD **September 10, 2004 through September 16, 2005**
5. SUPERSEDES..... 5010-40-AF (B)
6. AUTHORIZED USERS State Agencies and Other Public Bodies
7. CONTRACTORS' FEIN NUMBER54-0761740
8. CONTRACTOR..... R K Chevrolet
..... 2661 Va. Beach Blvd
.....Va. Beach, VA 23452
..... Contact: Mr. Randy Meekins
9. CONTRACTORS' PHONE NUMBER..... (757) 431-6522 Fax (757) 431-6523
..... e-mail:rmeekins@rkchevy.com
10. TERMS Net 30
11. DELIVERY90-120 ARO
12. F.O.B..... Richmond, Virginia
13. PRICES AND OPTIONS..... See Attached
14. FOR FURTHER CONTRACT INFORMATION CONTACT: Joe Dagra, VCO
Phone (804) 786-3858
E-mail: jdagra@dgs.state.va.us
15. ADDITIONAL COPIES OF CONTRACTS AND ANY ASSOCIATED CONTRACT CHANGES MAY BE VIEWED AND PRINTED AT THE DPS WEBSITE: www.dgs.state.va.us/dps.
16. NOTICE TO ALL STATE AGENCIES: This contract is the result of a competitive bid program and its use is mandatory for all State Agencies (unless otherwise indicated in item 6 above) in the purchase of any commodity listed herein. If the commodity or services available under this contract cannot be used by an agency, a request to purchase other goods or services of a similar nature shall be submitted to the appropriate DGS/DPS contract/purchase officer for approval. A complete and factual written justification is necessary to support the request. Refer to Section 13.7a of the Agency Procurement and Surplus Property Manual.
17. **Note:** This public body does not discriminate against faith-based organizations in accordance with the *Code of Virginia*, § § 2.2-4343.1 or against a bidder because of race, religion, color, sex, national origin, age, disability, or any other basis prohibited by state law relating to discrimination in employment.

Joe Dagra

By: _____
JOE DAGRA / Fleet Contract Officer

INSTRUCTIONS

1. **Purchase orders will be submitted to the contractor via the Commonwealth of Virginia's electronic procurement system, also known as Eva. The orders will be governed by this agreement and the terms and conditions contained in the separate agreement for participation in Eva executed by the contractor. If this contract is authorized for use by localities, Virginia cities, counties, town and political subdivisions may use this contract only if the orders are placed through Eva.**
2. Inspection on delivery and approval of vendor's invoice is the responsibility of receiving state agency, Virginia city, county, town or political subdivision.
3. Any complaint as to quality, faulty or delinquent delivery, or violation of contract provisions by contractor shall be reported to the Division of Purchases and Supply for handling with the contractor. Form "Complaint to State Vendor" (DGS-41-024), by which to facilitate the notification of the contractor and this office of complaints, is available from the Division of Purchases and Supply website www.dgs.state.va.us
(Click on DPS icon, click on DPS forms).
4. Renewals. **One (1)** one year renewals remain. The decision as to whether to exercise the next renewal option will be made by the contract officer approximately four to six months in advance of the expiration date of the current term.
5. Any changes whether for increases or decreases in pricing, delivery terms or additional options must be approved by the Division of Purchases and Supply in advance of issuance of the purchase order. Disputes between the ordering agency and the vendor will be resolved in accordance with the terms of the contract and any change orders/renewals unless prior approval was granted by DPS.
6. This contract was bid by the vendor with the understanding that the dealer is not required to maintain an inventory of vehicles for this contract. The dealer factory orders the vehicles. Thus, purchasers are encouraged to order vehicles early in the contract cycle. The build out date is the last date that a dealer can order a vehicle. This date is some times adjusted by the manufacturer due to production changes. Please check the build out date before ordering.
7. If you need to cancel an order, cancel it early in the process. After a vehicle has been on order for a short time, (usually about 10 days), the manufacturer will not accept a cancellation.

Commonwealth of Virginia
 Department of General Services
 Division of Purchases & Supply

Alternative Fuels Vehicle Specification
 Flexible Fuel
 Intermediate Sport Utility Vehicle, 2005

Model: Chevrolet Tahoe, 4 Dr. Vortec 5300 V8 Engine, Flexible Fuel (Gasoline/E85) 4 X 4.

- Base Configuration: Vehicle shall be equipped with the following features.
- **Black Mounted luggage carrier (Note Change)**
- Chrome front & rear bumper w/ black top pad
- Composite halogen headlamps
- Daytime running lights
- Solar-Ray tinted glass
- Intermittent windshield wipers with washer
- Power mirrors
- Cloth Seats
- Reclining 40/20/40 split front bench seat
- 60/40 split folding rear bench seat
- Carpet Flooring
- Tilt Steering Wheel
- Vinyl wrapped steering wheel
- Driver message center w/18 systems monitors: low fuel, transmission temp, Engine coolant, security, oil level, oil pressure, oil change
- Instrumentation: analog speedometer, tachometer, trip odometer, fuel level, Volt meter, oil pressure, engine hour meter, engine temp gauges
- Warning tones: key-in-ignition, safety belt, headlamps-on, turn signal
- **Programmable power door locks illuminated switches (Note Change)**
- Power windows
- Pass lock II security system
- Keyless entry, remote includes 2 transmitters, panic button and content theft alarm
- Front & rear air conditioning and heater
- ETR AM/FM stereo radio
- Cruise Control
- Dual instrument panel/single cargo area power outlets
- Headliner
- Dual cloth sunshades w/LH storage clip, passenger vanity mirror
- Front passenger/dual rear seat assist handles
- **Lights: Dome reading courtesy (Note Change)**
- 5.3L (325) SFI V8 Vortec E-85 Flex Fuel Engine
- **3.42 Axle Ratio (Note Change)**
- Locking rear differential
- **Rear Lift Gate with Lift Glass, , and rear window wiper/washer (Note Change)**
- **Deep Tinted Glass Standard. (Note Change)**

- 4 speed electronically controlled automatic transmission with Overdrive:
Tow/Haul mode w/selector button on end of shift lever
- 160 Amp alternator
- 7 wire trailering harness
- 2 front frame mounted recovery hooks
- Independent torsion bar front suspension
- Coil spring rear suspension
- Manufacturer's standard all-season SBR BSW tires for GVW of vehicle.
Tire size P245/75R16.
- Full-size spare tire w/lockable winch type carrier mounted under frame at rear
- 5 16" X 6.5" argent steel disc wheels w/argent center cap
- Power steering
- Power 4 wheel disc brakes
- 4 Wheel anti-lock braking system
- Gas tank 26 U.S. Gallons.
- Mechanical jack and & wheel wrench stored in rear quarter panel
- Driver & front passenger front airbags
Driver & front passenger side impact airbags

COLOR CHART

Exterior	Color code	Interior	
		Tan/natural	Gary/Dark Charcoal*
Dark Blue Metallic	25U	A	A
Black	41U	A	A
Summit White	50U	A	A
Silver Birch Metallic	59U	A	A
Dark Gray Metallic	62U	A	A
Sport Red Metallic	63U	A	A

* Interior Color has lighter/darker two-tone effect.

Commonwealth of Virginia
Department of General Services
Division of Purchases & Supply

Intermediate SUV, FFV

Price Sheet

Contract No.: 5010-50-AF-B

BUILT-OUT DATE: APRIL 6, 2005

Model: Chevrolet Tahoe, 4 Door, 4 X 4, 2005.

Item 1	Base Price of Vehicle as equipped above.	\$ <u>26,895.00</u> /Each
	<u>Options:</u>	
Item 2	Factory Tow Package including 7 wire harness And Receiver	\$ <u>284</u> /Each
Item 3	Skid Plates (Package includes plates protecting the Oil pan, Transfer Case and Differential case	\$ <u>85.00</u> /Each
Item 4	Regular Tinted Glass (Deduct)	\$ 235.00

The only options which are available for purchase without the express consent of DPS are those listed on the pricing schedule.

Chevrolet Tahoe
Contract No.: 5010-50-AF-B

Vehicle to be furnished shall conform to all applicable Federal and Motor Vehicle Safety Standards and all equipment shall conform to Title 46.2, Chapter 10, of the Code of Virginia and shall include a valid State Inspection Sticker. No dealer identifications such as sticker, decal, metal emblem and so forth will be accepted on automobiles furnished under this contract.

New vehicle preparation must be performed by dealer prior to delivery.

Manufacturer's Standard Warranty

36 Months / 36,000 Miles / Parts and Labor
Bumper to Bumper, 0 Deductible
Pre-Delivery Inspection is no Additional Charge

TAXES: No Federal Tax is to be included in bid, including tires. Tax Exemption Registration number will be furnished.

LICENSE: Thirty day license tags shall be furnished with the vehicle.

TITLE PAPERS: All papers for titling purposes shall be delivered with the vehicle.

DELIVERY: Vehicles shall be delivered to the various state agencies, cities, counties, towns, and political subdivisions throughout the State as required. For bidding purposes only, quote delivery to 805 E. Broad Street, Richmond, Va. 23219. The ordering entity will pay 60 cents per mile for mileage in excess of the distance from the dealer's location to 805 E. Broad street, Richmond, Va. 23219. A 60 cents per mile credit will apply if the distance is less than the mileage to 805 East Broad Street. Mileage will be determined based on Yahoo.com, (map, driving direction). Mileage shall be calculated between the dealer's address and the delivery address. **For this Contract built in mileage is 101 (\$ 60.60).** Delivery will be accepted between the hours of 8:15 A.M. and 4:30 P.M., Monday through Friday, except holiday.

2005 Tahoe, 4 X 2, Police Pursuit Rated PPV

Available for Law Enforcement Agencies Only. As this vehicle is pursuit rated neither 4 X 4 nor tow package is available.

Contract Base Unit: The contract base vehicle has the following upgrades to the base unit as manufactured by Chevrolet.

- Carpeted Floor and carpet floor mats
- Tremco Anti-theft package
- Daytime Running Lights and automatic headlight control disabled - "Stealth Package"
- Bonding straps: 1" braided metal installed at each hood hinge, trunk hinge, exhaust system, engine to chassis.

Pricing:

Base Vehicle: Chevrolet Tahoe, 4 X 2, PPV, Flexible Fuel, 2005 For Law Enforcement Use Only - Pursuit Rated	\$25,695.00
Delete Carpet/Carpet Mats - Add Vinyl Floor	\$(135.00)
Delete Deep Tinted Glass	\$(235.00)
Delete Bonding Straps	\$(30.00)
Add Chrome Grill	\$137.00
Add Locking Differential	\$275.00
Add Common Key/Keyed Alike	\$23.00
Add Rear Door Locks Inoperative	\$60.00
Add Rear Windows Inoperative	\$50.00
Add Rear Door Handles Inoperative	\$60.00
Add Assist Steps	\$384.00
Add Left Hand Spotlight	\$420.00
Add Left and Right Spotlights	\$740.00
Add Daytime Running Lights and Automatic Control - No Charge	NC
Add Cab Roof Lamp Wiring	\$96.00
Add Rear Cargo Shade	\$66.00

Colors:

Exterior	Color code	Gary/Dark Charcoal*
Dark Blue Metallic	25U	A
Black	41U	A
Summit White	50U	A
Silver Birch Metallic	59U	A
Dark Gray Metallic	62U	A
Sport Red Metallic	63U	A

* Interior Color has lighter/darker two-tone effect.

The data listed on the following pages is taken from Chevrolet sales literature and could be subject to change.



Tahoe 2WD PPV Police Package

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

This Vehicle Has Been Designed for Police Work up to and Including High Speed Emergency Vehicle Operations.

STANDARD EQUIPMENT SUMMARY:

WARRANTY	3 years / 36,000 miles
-----------------	------------------------

MODEL AVAILABILITY

CC15706	2-Wheel Drive
----------------	---------------

INTERIOR FEATURES

AIR CONDITIONING	Front and Rear (Includes Rear Heater) Tri-Zone, Manual, Individual, Climate Settings For Driver Right Front Passenger and Rear Passengers
ASSIST HANDLES	Front Passenger and Second Row Outboard
CONSOLE, FLOOR	Deleted
CONSOLE, OVERHEAD	Includes Map Lights and Rear Air Conditioning and Heating Controls
CRUISE CONTROL	Electronic with Set and Resume Speed
FLOOR COVERING	Black Rubberized Vinyl Floor and Load Floor (Changed to Carpet by State Spec)
GLASS	Solar-Ray Deep Tinted (All Windows Except Light Tinted Glass on Windshield, Driver and Front Door Windows)
GROUND STUDS	Two Studs Located in Rear Compartment Near Bottom of Hatch Opening
KEY	Single, Two Sided, Random Code, For Ignition and Driver Door Only
LIGHTING	Dome Lamp, Driver and Passenger Side Door Switch with Delayed Entry Feature, Cargo Lamps, Map Lights, at Front and 2nd Seat Position
POWER OUTLETS	Two Located on Instrument Panel and One in Rear Cargo Area
RADIO	AM/FM Stereo with Seek-Scan and Digital Clock
RESTRAINT SYSTEM	Seat Belts with Driver and Front Passenger Frontal Air Bags and Side-Impact Air Bags
SEATS, FRONT	Custom Cloth Reclining High Back Buckets, Includes Adjustable Head Restraints and Inboard Armrest. Includes 6-Way Power Driver Seat
SEATS, REAR	Vinyl Bench with Fold Down Center Armrest
SECURITY	PassLock II - Requires Correct Ignition Key to Start Engine
SPEEDOMETER/CLUSTER	140 MPH Certified Analog Speedometer - 1 MPH increments, Digital Trip Odometer, with Oil Pressure, Volt Meter, Tachometer, Engine Temperature Gauges, and Hour Meter (To Display the Hour Meter, Turn the Ignition Off, Press and Hold Reset Button for at Least Four Seconds), for Message Center (See Message Center Diagram on page 32).
STEERING COLUMN/WHEEL	Tilt-Wheel, Adjustable, Includes Brake/Transmission Shift Interlock and Theft - Deterrent Locking Feature
VISORS	Padded Driver and Passenger with Cloth Trim, Extenders, Illuminated Vanity Mirrors and Corner Storage Pockets on Back of Visors
WARNING TONE	Key-In-Ignition, Seat Belt, Headlamp and Turn Signal
WINDOW OPERATION	Power

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

STANDARD EQUIPMENT SUMMARY:

EXTERIOR FEATURES

AIR DAM	Gray - Air Dam Extension Deleted
BUMPER - FRONT	Chrome
BUMPER - REAR	Chrome with Step Pad
DEFOGGER	Rear Window
DOOR HANDLES	Matte Black
DOOR LOCKS	Power, Programmable with Lockout Protection, Door Lock Cylinder No Longer Available on Passenger Front Door and Rear Liftgate
GRILLE	Black with Argent Center Bar
HEADLAMPS	Dual Halogen Composite, Includes Flash-to-Pass Feature and Automatic Lamp Control
KEYLESS ENTRY	Includes Two Transmitters with Panic Button (For Additional Transmitters See Option AMF on Page 31)
LIGHTS	Daytime Running (Off When Transmission is in Park) Deleted by State Spec
LUGGAGE RACK	Deleted, Roof Holes Plugged
MIRRORS	Power Fold-A-Way Heated Outside Rearview
MOLDINGS	Body Side
REAR LIFTGATE	Includes Rear-Window Wiper/Washer (No Lock Cylinder on Liftgate)
RECOVERY HOOKS	Two Front - Recovery Hook Covers Deleted
WINDSHIELD WIPERS	Anti-Lift Driver and Passenger, Intermittent, Front Wet-Arm with Pulse Washers.

CHASSIS FEATURES

ALTERNATOR	160 Amp with Idle Boost
AIR CLEANER	High-Capacity
BATTERY	Heavy-Duty 770 CCA with Battery Rundown Protection (Does Not Protect Customer Installed Equipment)
BRAKES	4-Wheel Anti-Lock Front and Rear Disc with Hydro Boost Power Assist
COOLING	Heavy Duty High Capacity Radiator and Electric Fans
ENGINE	Vortec 5300 V8 SFI with Top Speed Fuel Cut-Off at 125MPH Includes Air Conditioning Wide Open Throttle Cut Off. (Capable of Running on Unleaded or E85 Ethanol)
FRAME	Modular with Hydroformed Frame Rails
FUEL TANK CAPACITY	26 Gallon
OIL COOLERS	Engine Heavy Duty Auxiliary Oil-to-Coolant, Transmission Heavy Duty Auxiliary Air-to-Oil, Power Steering Auxiliary Air-to-Oil
PROP SHAFT	High Speed Balanced Aluminum, Four Inch Diameter
RADIO SUPPRESSION	Grounded Straps, at Five Additional Locations
SKID PLATE	Front Underbody Shield Starting Behind Front Bumper and Running to 1st Cross-Member Protecting Front Underbody and Oil Pan
SPARK PLUGS	Extended Life - Platinum Tip
STEERING	Power, Speed Sensitive
SUSPENSION - FRT	Independent Torsion Bar, with Heavy Duty Stabilizer Bar
SUSPENSION - RR	Multi-Link with Coil Springs and Heavy Duty Stabilizer Bar
TIRE MONITOR	Tire Pressure (Includes Sensor to Spare Tire) Spare Tire Sensor not Programmed
TIRES	255/70R16 All-Season SBR Blackwall, H-Rated
SPARE TIRE	Full-Size Spare Mounted Under Frame at Rear End (Includes Tire Pressure Monitor, Not Programmed)
TRANSMISSION	Enhanced Calibration 4-Speed Automatic w/Overdrive
WHEELS	16" x 6.5" Heavy Duty Steel
WHEEL CENTER CAP	Steel Bolt-on Chrome
WIRING - 12 VOLT	Wiring Provision - Two Battery and Two Ignition Controlled Circuits, 21 Amps Per Circuit. Harness is Located in Front of the Glove Box, Requires Upfitter Installation - Instructions Provided in Owners Manual Supplement.

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

POWERTRAIN

	MODEL	ENGINE (RPO)	TRANSMISSION	AXLE	GVWR
			M30	GT4	C7H
2WD	CC15706	L59 Vortec 5300 V8 SFI*	4-Speed Auto	3.73	6400 lbs.
NOTE: Must Specify - FE9 - Federal Emissions, YF5 - California NE1 - Maine, Massachusetts, New York or Vermont State Requirements *Engine, Vortec 5300 V8 MFI, Flexible Fuel (Gas or E85 Ethanol)					

TIRES: SPEED RATED

MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
General	5	P255/70R16BW	H	All-Season SBR


SEATS AND INTERIOR TRIM

	SEAT OPTIONS	MED. GRAY
STANDARD: Custom Cloth Front Bucket Vinyl Rear 60/40 Split-Bench	A95 5T5	92D

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

POLICE TAHOE SPEEDOMETER/CLUSTER



- FUEL LEVEL LOW
- LOW COOLANT LEVEL
- CHECK WASHER FLUID
- ENGINE OVERHEATED
- REDUCED ENGINE POWER
- CHECK ENGINE OIL LEVEL
- CHANGE ENGINE OIL
- TRANSMISSION HOT
- ENGINE COOLANT HOT
- OIL PRESSURE LOW
- BATTERY NOT CHARGING
- REPLACE LIFTGATE FUSE
- SERVICE CHARGING SYSTEM
- CHARGING SYS. FAILURE

- SERVICE BRAKE SYSTEM
- SERVICE AIRBAG
- REAR ACCESS OPEN
- TURN SIGNAL ON
- DRIVER DOOR AJAR
- PASSENGER DOOR AJAR
- RIGHT REAR DOOR AJAR
- LEFT REAR DOOR AJAR
- KEYFOB X BATTERY LOW
- SEATBELT REMINDER
- TRANS HOT IDLE ENGINE
- TRANS IN WARMUP
- CHECK TIRE PRESSURE
- TIGHTEN FUEL CAP

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE

SPECIFICATIONS

TAHOE

GENERAL

Model	4 Door
Drive	2-Wheel

EXTERIOR (in/mm)

Wheelbase	116/2946
Overall Length	198.8/5050
Overall Width	78.8/2002
Overall Height	72.0/1830
Tread Front	65.0/1651
Tread Rear	66.0/1676
Turning Diameter curb to curb (ft./m)	38.3/11.7

FRONT COMPARTMENT (in/mm)

Head Room	40.7/1034
Shoulder Room	65.2/1656
Hip Room	61.4/1560
Leg Room (maximum)	41.3/1049

REAR COMPARTMENT (in/mm)

Head Room	39.4/1001
Shoulder Room	65.1/1654
Hip Room	61.3/1557
Leg Room (minimum)	38.6/980

CARGO CAPACITY

Behind 2nd Seat (cu ft)	104.6
-------------------------	-------

EPA FUEL ECONOMY RATINGS CITY/HIGHWAY

5.3L Engine 2WD	15/20
-----------------	-------

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicles condition.

ALTERNATOR

Type	E8+
Amps	77F(25C), 14.0 volts 160
Amps @ idle	77F(25C), 14.0 volts 134

Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

ENGINE

Type	STD	VORTEC V8
Displacement: Liters	5.3L	
Horsepower/NHP	285 @ 5200 RPM	
Torque/LB.FT.	325 @ 4000 RPM	
Induction System	SFI	
Compression Ratio	9.5:1	
Exhaust	Single	
Minimum Recommended Fuel Octane	87	
Fuel Tank Capacity (Gallons/Liters)	26/98.4	

TRANSMISSION

Automatic Electronic with Overdrive	4-speed
-------------------------------------	---------

AXLE

Ratio 2-Wheel Drive	3.73
---------------------	------

BRAKES

ABS with Hydro-Boost	Disc/Disc
Front /Swept Area (sq.in.)	213
Rear /Swept Area (sq.in.)	133
Total Front and Rear Swept Area (sq.in.)	346

TIRES

Type	H- Rated All-Season
Size	P255/70R16

WHEELS

Type	H-Rated Steel
Size	16" x 6.5"

CHASSIS

Frame	Full Perimeter Steel
Front Suspension	Independent, Single Lower Arm with Torsion Bar
Rear Suspension	Multi-Link with Coil Spring
Steering Type	Power-assisted Recirculating Ball

VEHICLE WEIGHT

GVWR (lbs.)	6400
Curb (lbs)	5007
Payload (lbs.)	1393

Note: Payload and curb weight will vary with option content

BATTERY


Type	Maintenance Free
BCI Group Size	78
Volts	12
Amp Hour Rating	63
Cold Cranking Amps @ 0°F (-18°C)	770
Reserve Capacity @ 80°F (27°C)	115

Features:

- Maintenance-Free Design
- Built-In Flame Arrester
- Built-In Hydrometer
- Side-Mounted Terminals
- Reinforced Polypropylene Case


DESCRIPTION OF STANDARD SPECIAL EQUIPMENT TAHOE 2-WHEEL DRIVE POLICE PACKAGE

ENGINE OIL COOLER




Engine oil cooler located in the left hand radiator tank. Cooler consists of an inlet and an outlet pipe attached to the engine oil filter adapter which transmits the oil to the cooler and then back to the engine. The cooler itself consists of numerous flat plates through which the hot oil flows, transmitting heat to the coolant and cooling the oil.

POWER STEERING COOLER




Vertical finned cooler is mounted at the left end of the radiator and connected in-line between the power steering pump and steering gear.

TRANSMISSION OIL COOLER



External air-to-oil cooler is mounted in front of coolant radiator and AC condenser at the center and is connected in series with the integral transmission oil cooler in the right end tank of the coolant radiator.


WIRING PROVISION, AUXILIARY BATTERY POWER



Your vehicle is equipped with wiring provision for 12 volt fused battery power. Providing two 30-amp battery powered circuits and two 30-amp ignition controlled circuits. The wiring harness is located in front of the glove compartment with a 40-amp fuse which must be installed in the engine compartment electrical center. The owner's manual supplement provides a wiring diagram to aid in connecting customer equipment.

NOTE: The maximum rated electrical load for each circuit is 21-amps (250 watts)

INOPERATIVE INTERIOR LAMPS SWITCH




Courtesy Lamps, including dome lamps, can be turned off with a push button switch which is part of the headlamp switch module. When the switch is activated, courtesy lamps remain off when any vehicle door is open. If a door is open when the switch is activated, the lamps will go off. The instrument cluster and radio lighting dimmer control will override the push button switch to turn on the courtesy lamps.

DESCRIPTION OF STANDARD SPECIAL EQUIPMENT TAHOE 2-WHEEL DRIVE POLICE PACKAGE

RADIO SUPPRESSION


GROUND STRAPS Changed by State Spec



Police Package is equipped with additional grounding in the following locations:


1. Left hand front frame body mount bracket to underbody
2. Left hand rear frame body mount bracket to rear underbody
3. Right hand rear frame body mount bracket to rear underbody
4. Right hand center frame body mount bracket to center underbody
5. Exhaust pipe hanger rod to rear frame hanger

EQUIPMENT GROUNDING STUDS - REAR COMPARTMENT



Tahoe Police Package has grounding studs located at the lower left and right hand rear compartment hatch opening for connection to customer electrical equipment. A five foot blunt cut length of #8 awg copper wire is coiled inside the jack stowage compartment to permit grounding of electrical equipment which may be mounted forward in the rear compartment and behind the second seat back.


TIRE PRESSURE MONITOR



Your vehicle is equipped with a Tire Pressure Monitor (TPM) system which warns of low tire pressure and indicates which of the four road wheels has low tire pressure. The TPM system on your Tahoe Police Package has a spare tire sensor but is not programmed to read the spare tire pressure. When the spare tire from your vehicle or an unused spare tire from another Police Package is placed in use as a road wheel, the system will NOT read the presence of the new TPM sensor and must be calibrated. Refer to your Owner's Manual for additional information on the tire pressure monitor and sensor programming.

DESCRIPTION OF OPTIONAL SPECIAL EQUIPMENT TAHOE 2-WHEEL DRIVE POLICE PACKAGE

6N6 LOCKS REAR DOOR INOPERATIVE



Rear door locking rods are disabled. Rear door locks are inoperable at rear doors, but operate from driver position.

6B2 HANDLES REAR DOOR INOPERATIVE




Inside rear door handles are disconnected. Rear doors can only be opened from the outside.

6N5 SWITCHES REAR WINDOW INOPERATIVE



Rear door window switches are inoperable. Rear door power regulators are operable only from driver position switches.


5G4 WIRING FOR ROOF LIGHTING



Battery power is supplied through a 30-amp fuse to two bluntcut wires located in the roof approximately 32 inches rearward of the windshield and left of the roof centerline. Power is controlled with a switch located in the instrument panel near the climate controls. Customer can connect a light directly to the wires in the roof or purchase an external wiring and sealing grommet are shipped loose in the glove box. Customer must drill the hole in the roof. An owners manual supplement provides installation instructions.

Note: The maximum rated electrical load is 21 amps (250 watts). Running the accessory lamp for long periods of time with the engine off may run the battery down.

SPOTLAMPS



NOTE: Customer furnished spotlamp assembly should be installed to avoid contact with a deploying air bag

- 7X6 Spotlamp Left Hand, pillar-mounted Unity, 6 inch with replaceable H3 halogen bulb; independently fused
- 7X7 Spotlamps Left- and Right-Hand, pillar-mounted Unity, 6 inch with replaceable H3 halogen bulb; independently fused